Barton DPJ. *See* Butler-Manuel SA.
Barton DPJ. *See* Kolomainen DF.
Barton DPJ. *See* Radhakrishnan S.
Barton DPJ. *See* Shepherd JH.
Bathena RK. The long-active progestogen-only contraceptive injections, an update 3
Bayoumeu F. *See* Bouvier-Colle M-H.
Beaumont E. *See* Bouvier-Colle M-H.
Begent RH. *See* Lieberman G.
Békési G, Kakues R, Varbior S, Feher J, Pazmany T, Magyar Z, Sprintz D, Szekacs B. Induced myeloperoxidase activity and related superoxide inhibition during hormone replacement therapy 474
Belfort M. Association of cerebral perfusion pressure with headache in women with pre-eclampsia 126
Belfort MA, Tooke-Miller C, Allen JC, Varner MA, Grunewald C, Nisell H, Herd JA. Pregnant women with chronic hypertension and superimposed pre-eclampsia have high cerebral perfusion pressure 1141
Bell JS, Campbell DM, Graham WJ, Penney GC, Ryan M, Hall MM. Can obstetric complications explain the high levels of obstetric interventions and maternity service use among older women, retrospective analysis of routinely collected data 910
Bell SC. *See* Konje JC.
Bellini P. *See* Locatelli A.
Bellis A. *See* Stannard L.
Bellone S. *See* Santin AD.
Belloni C. *See* Pasini A.
Ben-Ami M. *See* Peleg D.
Ben-Chetrit A. *See* Ben-Chetrit E.
Ben-Chetrit E, Ben-Chetrit A. Familial Mediterranean fever and menstruation 403
Benachi A. *See* Manieu-Caputo D.
Bennet PR. *See* Groom KM.
Berger C. *See* Steiner M.
Berner M. *See* Stan CM.
Berrington A. *See* Banks E.
Bertini R, Roscigno M, Colombo R, Spagnolo D, Ferrari A, Rigatti P. Herniation of the amniotic sac into the bladder through a vesicouterine fistula in the 32nd week of pregnancy 1300
Bewley S. *See* Pakarian F.
Beynon DWG. *See* Elgonaid WEM.
Beynon DWG. *See* Lawal AO.
Bhatt A, Chenoy R. Menorrhagia due to Bernard-Soulier syndrome and its successful treatment by thermal balloon endometrial ablation 667
Bickerstaff H. *See* Hart R.
Bidgood K. *See* Crowley T.
Bidmead J, Cardozo L, McLellan A, Khullar V, Kelleher C. A comparison of the objective and subjective outocomes of colposuspension for stress incontinence in women 408
Bidmead J. *See* Hextall A.
Bidmead J, Toozs-Hobson P, Cardozo L, Robinson D, Bailey J. Randomised comparison of Burch colposuspension versus anterior colporrhaphy for patients with stress urinary incontinence 128
Bjarnadottir RI, Gottfredsdottir H, Sigurdardottir K, Geirsson RT, Dieben TOM. Comparative study of the effects of a progestogen-only pill containing desogestrel and an intrauterine contraceptive device in lactating women 1174
Blake P. *See* Baluch C.
Blake P. *See* Kolomainen DF.
Blakeman PJ, Hilton P, Bulmer JN. Cellular proliferation in the female lower urinary tract with reference to oestrogen status 813
Blanc B. *See* Agostini A.
Blann A. *See* Bretelle F.
Blondel B. *See* Graafmans WC.
Blondel B. *See* Guihard P.
Blott M. *See* Roberts N.
Boehringer H. *See* Ecochard R.
Boer K. *See* Van Wijk MJ.
Boer K. *See* Vollebregt KC.
Bolger B. *See* Flannelly G.
Bonte HV. *See* Chapron C.
Borel-Derlon A. *See* Lepercq J.
Borg J-Y. *See* Lepercq J.
Borysiewisz L. *See* Scherf C.
Bosio PM, Cannon S, McKenna PJ, O'Herlihy C, Conroy R, Brady H. Plasma P-selectin is elevated in the first trimester in women who subsequently develop pre-eclampsia 709
Boubli L. *See* Bretelle F.
Boudignat O. *See* Lepercq J.
Boulvain M. *See* Faltin DL.
Boulvain M. *See* Stan CM.
Boutière B. *See* Bretelle F.
Bouvier-Colle M-H, Ould El Joud D, Varnoux N, Goffinet F, Alexander S, Bayoumeu F, Beaumont E, Fernandez H, Lansac J, Lévy G, Palot M. Evaluation of the quality of care for severe obstetrical haemorrhage in three French regions 898
Bouyer J. Guidelines in gynaecology, in menorrhagia and in urinary incontinence 130
Bovier PA. *See* Stan CM.
Bowen-Simpkins P. *See* Ashraf M.
Bower C. *See* Lumley J.
Brady H. *See* Bosio PM.
Brain KA, Thornton JG, Sarkar A, Owen A, Johnson C. Obstructive sleep apnoea and fetal death, successful treatment with continuous positive airway pressure 543
Braude P. *See* Hart R.
Bréart G. *See* Goffinet F.
Brennan C. *See* Slattery MM.
Bretelle F, Sabatier F, Blann A, D'Ercole C, Boutière B, Mutin M, Boubli L, Sampol J, Dignat-George F. Maternal endothelial soluble cell adhesion molecules with isolated small for gestational age fetuses, comparison with pre-eclampsia 1277
Bridges J. *See* Kolomainen DF.
Brocklehurst P. *See* Hofmeyr GJ.
Brodie PM. *See* Homer CSE.
Brölmann HAM, Vervest HAM, Heineman MJ. Declining trend in major gynaecological surgery in The Netherlands during 1991-1998, is there an impact on surgical skills and innovative ability 743
Brown LJR. *See* Girish T.
Brown MA *See* Martin A.
Bruinse HW. *See* Vermeulen GM.
Bruinse HW. *See* Wijnberger LDE.
Brunelle F. *See* Manieu-Caputo D.
Buckland S. *See* Simons AM.
Buckley CH. *See* Drake A.
Buckley CH. *See* Sengupta PS.
Bucourt M. *See* Goffinet F.
Bugg GJ, Kiff ES, Hosker G. A new condition-specific health-related quality of life questionnaire for the assessment of women with anal incontinence 1057
Bulmer JN. *See* Blakeman PJ.
Burc L, Vuillard E, Guibourdenche J, Conti M, Garel C, Porquet D, Oury JF, Luton D. Prenatal diagnosis and follow up of biliary atresia 1108
Burrows RF, Gan ET, Gallus AS, Wallace EM, Burrows EA. Randomised double-blind placebo controlled trial of low molecular weight heparin as prophylaxis in preventing venous thrombolic events after caesarean section, pilot study 835
Burrows WA. *See* Burrows RF.
Buscombe JR. *See* Lieberman G.
Busfield R. *See* Johnson N.
Butler-Manuel SA, Buttery LDK, A'Hern RP, Polak JM, Barton DPJ. Nerve types damaged in radical and simple hysterectomy 548

Buttery LDK. *See* Butler-Manuel SA.
Byrne PD. *See* Georgiou M.
Byrom J, Widjaja E, Jones P, Redman CWE, Tebby S. Can preoperative computed tomography predict resectability of ovarian carcinoma at primary laparotomy 549

Cacho Zegarra AM. *See* Krampl E.
Cahill DJ. *See* Jenkins JM.
Cahol V. *See* Reznikoff-Etiévant MF.
Caird L. *See* Armstrong C.
Cairns P. *See* Murphy DJ.
Camatte S. *See* Lécuru F.
Cameron A. *See* Ang C.
Cameron AD. *See* Johnston TA.
Cameron IC. *See* Abdi S.
Campbell DM. *See* Bell JS.
Campbell E. *See* Hofmeyr GJ.
Campbell R. *See* Pope C.
Campbell S. *See* Gallery EDM.
Cannon MJ. *See* Santin AD.
Cannon S. *See* Bosio PM.
Carbonne B. *See* Reznikoff-Etiévant MF.
Cardozo L. *See* Bidmead J.
Cardozo L. *See* Bidmead J.
Cardozo L. *See* Hextall A.
Cardozo L. *See* Salvatore S.
Carpenter T, Evans P, Wheeler T. An unusual mode of delivery 436
Carter D. *See* Steiner M.
Caruso S, Intelisano G, Lupo L, Agnello C. Premenopausal women affected by sexual arousal disorder treated with sildenafil, a double-blind, cross-over, placebo-controlled study 623
Casabonne D. *See* Banks E.
Catchpole M. *See* Morris M.
Caudill M. *See* Bailey LB.
Chakkaphak S. *See* Chanrachakul B.
Chaliha C. *See* Georgiou M.
Chan LY-S, Lau TK, Chiu PY, Win-KinWong G, Leung TN. Levels of cord blood thyroid stimulating hormone after external cephalic version 1076
Chang AMZ. *See* Rogers MS.
Chang AMZ. *See* Strachan BK.
Chanrachakul B. *See* Chong YS.
Chanrachakul B, Tangtrakul S, Herabutya Y, Chakkaphak S, Hamontri S. Meckel's diverticulitis, an uncommon complication during pregnancy 1199
Chao H-T. *See* Wang P-H.
Chapman MG. *See* Homer CSE.
Chapron C, Fauconnier A, Dubuisson J-B, Vieira M, Bonte HV, Vacher-Lavenu M-C. Does deep endometriosis infiltrating the uterosacral ligaments present an asymmetric lateral distribution 1021
Chard T. Does the fetus lose weight *in utero* following fetal death, study in preterm infants 1113
Charles A. *See* Thein A.
Chastang C. *See* Rozenberg P.
Chaumet-Riffaud P. *See* Rozenberg P.
Cheng Y-M, Chou C-Y, Huang S-C, Lin H-C. Oestrogen deficiency causes DNA damage in uterine leiomyoma cells, a possible mechanism for shrinkage of fibroids by GnRH agonists 95
Chenoy R. *See* Bhatt A.
Chevret S. *See* Rozenberg P.
Chew GK, Craig F, Cruickshank ME. Evaluating the use of transvaginal ultrasound scan as first line investigation for post menopausal bleeding 551
Chien PFW, Khan KS. Evaluation of a clinical test, II: assessment of validity 568
Chien PFW. *See* Farrell T.
Chien PFW. *See* Khan KS.
Chin KAJ. *See* Das S.
Chiu PY. *See* Tam W-H.
Chong YS, Chua S, El-Refaey H, Choo WL, Chanrachakul B, Tai BC, Rodeck C, Arulkumaran S. Postpartum intrauterine pressure studies of uterotonic effect of oral misoprostol and intramuscular syntometrine 41
Choo WL. *See* Chong YS.
Chou C-Y. *See* Cheng Y-M.
Choy CMY, Tam WH, Ng PC. Skull fracture and contralateral cerebral infarction after ventouse extraction 1298
Christie JH, Keay SD, Morgan M, Storley R. Puerperal sepsis, a diseas of the past 127
Chua S. *See* Chong YS.
Chung TKH. *See* Leung TN.
Clarkson S. *See* Nieto J.
Clason I. *See* Lyrenäs S.
Clausen T, Djurovic S, Henriksen T. Dyslipidemia in early second trimester is mainly a feature of women with early onset pre-eclampsia 1081
Clausson B, Gardosi J, Francis A, Cnattingius S. Perinatal outcome in SGA births defined by customised versus population-based birthweight standards 830
Cnattingius S. *See* Clausson B.
Cnattingius S. *See* Otterblad Olausson P.
Coffey C. *See* Freeman-Wang T.
Cohen C. *See* Lepercq J.
Cohen SB, Wattiez A, Seidman DS, Lidor AL, Hendler I, Rabinovichi, Goldenberg M. Comparison of cervical vacuum cup cannula with metal cannula for hysterosalpingography 1031
Coleman RE. *See* Gillespie AM.
Coley JL, Msamanga GI, Smith Fawzi MC, Kaaya S, Hertzmark E, Kapiga S, Spiegelman D, Hunter D, Fawzi WW. Association between maternal HIV-1 infection and pregnancy outcomes in Dar es Salaam, Tanzania 1125
Collins P. *See* Kozman E.
Colombo M. Randomised comparison of Burch colposuspension versus anterior colporrhaphy for patients with stress urinary incontinence 129
Colombo R. *See* Bertini R.
Comino-Delgado R. *See* Bartha JL.
Conard J. *See* Lepercq J.
Connell R. *See* Duckett J.
Connolly G, McKenna P. Maternal height and external pelvimetry to predict cephalo-pelvic disproportion in nulliparous African women 338
Conroy R. *See* Bosio PM.
Conti M. *See* Burc L.
Cook DG. *See* Shah S.
Cook J. *See* Jenkins JM.
Cooper KG, Jack SA, Parkin DE, Grant AM. Five-year follow up of women randomised to medical management or transcervical resection of the endometrium for heavy menstrual loss, clinical and quality of life outcomes 1222
Coughlin L. *See* Thomas DK.
Coulet F. *See* Reznikoff-Etiévant MF.
Craft I. *See* Venkataraman G.
Craig F. *See* Chew GK.
Crawford RAF. *See* Holland CM.
Crawford SC, De Caestecker L, Gillis CR, Davis JA, Penney G, Siddiqui N. Staging of endometrial cancer in Scotland 1996-7 550
Creighton S. *See* Minto CL.
Creinin MD, Schwartz JL, Pymar HC, Fink W. Eficacy of mifepristone followed on the same day by misoprostol for early termination of pregnancy, report of a randomised trial 469
Crossley JA. *See* Wallace EM.
Crow JC. *See* Wong to Fong LF.
Crowley T, Low N, Turner A, Harvey I, Bidgood K, Horner P. Anti-

biotic prophylaxis to prevent post-abortal upper genital tract infection in women with bacterial vaginosis, randomised controlled trial 396
Cruickshank DJ. *See* Kew FM.
Cruickshank ME. *See* Chew GK.
Cruz A. *See* Bailey LB.
Cummins C. *See* Stewart A.
Cusick E. *See* Murphy DJ.
Cuzick J. *See* Szarewski A.

Danielian P. *See* Shetty A.
Danielsson I, Eisemann M, Sjöberg I, Wikman M. Vulvar vestibulitis, a multi-factorial condition 456
D'Antona D. *See* Wallace EM.
Darmon J-Y. *See* Lepercq J.
Das S, Chin KAJ. Does histological incomplete excision of cervical intraepithelial neoplasia following large excision of transformation zone increase recurrence rates, a six-year cytological follow up 771
Daskalakis GJ. *See* Antsaklis AJ.
Daskalakis GJ. *See* Papantoniou NE.
David S, Mamelle N, Rivière O. Estimation of an expected caesarean section rate taking into account the case mix of a maternity hospital, analysis from the AUDIPOG Sentinelle Network 919
Davies GAL. *See* Kwon J.
Davies N. *See* Whitby E.
Davies T. *See* Thein A.
Davis GK. *See* Homer CSE.
Davis JA. *See* Crawford SC.
Davis KR, Ponnampalam J, Hayman R, Baker PN, Arulkumaran S, Donnelly R. Microvascular vasodilator response to acetylcholine is increased in women with pre-eclampsia 610
De Barros Lopes A. *See* Flannelly G.
De Barros Lopes A. *See* Naik R.
De Caestecker L. *See* Crawford SC.
de Graaff JC. *See* Vollebregt KC.
de Hullu JA, Piers DA, Hollema H, Aalders JG, van der Zee AGJ. Sentinel lymph node detection in locally recurrent carcinoma of the vulva 766
de Leeuw JW, Struijk PC, Vierhout MF, Wallenburg HCS. Risk factors for third degree perineal ruptures during delivery 383
De Santolo A. *See* Spinillo A.
de Sweit M. *See* Nelson-Piercy C.
de Swiet M. *See* Girling J.
de Wolf BTHM. *See* Wijma J.
Debiaggi M. *See* Spinillo A.
Del Bene R, Barletta G, Mello G, Lazzeri C, Mecacci F, Parretti E, Martini E, Vecchiarino S, Franchi F, La Villa G. Cardiovascular function in pregnancy, effects of posture 344
DeLancey JOL. *See* Peschers UM.
Delhanty JDA. *See* Quilter CR.
Dennedy MC, Friel AM, Gardeil F, Morrison JJ. Beta-3 versus beta-2 adrenergic agonists and preterm labour, in vitro uterine relaxation effects 605
D'Ercole C. *See* Bretelle F.
Derom C. *See* Loos RJF.
Derom R. *See* Loos RJF.
deSouza NM. *See* Gornall RJ.
Dessypris N. *See* Petridou E.
Dhundee J. *See* Drake A.
Di Micco R. *See* Natale V.
Dieben TOM. *See* Bjarnadottir RI.
Dignat-George F. *See* Bretelle F.
Dillon J. *See* Steiner M.
Djurovic S. *See* Clausen T.
Dobbs SP. *See* Zawislak A.
Dobrzynski W. *See* Zachara BA
Doll H, Vessey M, Painter R. Return of fertility in nulliparous women after discontinuation of the intrauterine device, comparison with women discontinuing other methods of contraception 304
Dommergues M. *See* Manieu-Caputo D.
Donaldson A. *See* Sharma A.
Donnelly R. *See* Davis KR.
Dornan J. *See* Mackey R.
Dougal M. *See* Haughney RVM.
Drake A, Dhundee J, Buckley CH, Woolas R. Disseminated leiomyomatosis peritonealis in association with oestrogen secreting ovarian fibrothecoma 661
Drake A, Harrison D, Williams A, Dunlop M. Loss of expression of mismatch repair proteins in endometrial cancer 555
Drake A. *See* Nieto J.
Draycott T. *See* Jenkins JM.
Dubuisson J-B. *See* Chapron C.
Duckett J, Connell R. Guidelines in gynaecology, in menorrhagia and in urinary incontinence 129
Dumez Y. *See* Manieu-Caputo D.
Dundas KC, Walker J, Laing IA. Oesophageal and duodenal atresia suspected at 12 week booking scan 225
Dunlop J. *See* Goldberg D.
Dunlop M. *See* Drake A.
Durand-Zaleski I. *See* Rozenberg P.

Eason E. *See* Labrecque M.
Ecochard R, Boehringer H, Rabilloud M, Marret H. Chronological aspects of ultrasonic, hormonal and other indirect indices of ovulation 822
Edwards G. *See* Adekanmi OA.
Edwards J. *See* Jenkins JM.
Edwards PR. *See* Sutcliffe AG.
Eisemann M. *See* Danielsson I.
Ekpo G. *See* Scherf C.
El-Refaey H. *See* Chong YS.
Elgonaid WEM, Beynon DWG. The potential impact of prophylactic oophorectomy on the incidence of ovarian cancer at a District General Hospital 553
Ellison J, Thomson AJ, Walker ID, Greer IA. Use of enoxaparin in a pregnant woman with a mechanical heart valve prosthesis 757
Elson J. *See* Banerjee S.
Emamgholy T. *See* Ziaei S.
Ernsting J. *See* McAuliffe F.
Escobar-Llompart M. *See* Bartha JL.
Eskild A. *See* Magnus P.
Evans P. *See* Carpenter T.

Faghihzadeh S. *See* Ziaei S.
Faltin DL, Sangalli MR, Roche B, Floris I, Boulvain M, Weil A. Does a second delivery increase the risk of anal incontinence 684
Fanger G. *See* Peschers UM.
Farmer FDT. *See* Simpson EL.
Farquhar C. *See* Johnson N.
Farquhar CM. *See* Sowter MC.
Farrell T, Leslie JR, Chien PFW, Agustsson P. The reliability and validity of three dimensional ultrasound volumetric measurements using an *in vitro* balloon and *in vivo* uterine model 573
Fauconnier A. *See* Chapron C.
Fawzi H. *See* Flannelly G.
Fawzi WW. *See* Coley JL.
Fayers P. *See* Nelson-Piercy C.
Feher J. *See* Békési G.
Fern E. *See* Grant A.
Fernandez H. *See* Bouvier-Colle M-H.
Ferrari A. *See* Bertini R.
Fiander A. *See* Scherf C.
Fink W. *See* Creinin MD.
Fisch C. *See* Rozenberg P.

Fisher JRW. *See* Rowe-Murray HJ.
Flanagan A. *See* Soutter WP.
Flannelly G, Bolger B, Fawzi H, De Barros Lopes A, Monaghan JM. Follow up after LLETZ, could schedules be modified according to risk of recurrence 1025
Flint SK. *See* Roberts N.
Floris L. *See* Faltin DL.
Fournet JC. *See* Manieu-Caputo D.
Fox J. *See* Soutter WP.
Fox R. *See* Sharma A.
Franchi F. *See* Del Bene R.
Francis A. *See* Clausson B.
Francoual P. *See* Lepercq J.
Franx A. *See* Wijnberger LDE.
Frazer M. *See* Kozman E.
Freeman-Wang T, Walker P, Linehan J, Coffey C, Glasser B, Sherr L. Anxiety levels in women attending colposcopy clinics for treatment for cervical intraepithelial neoplasia, a randomised trial of written and video information 482
Friel AM. *See* Dennedy MC.
Fujimoto S. *See* Yamamoto R.
Fülesdi B. *See* Zatik J.

Gallagher CJ. *See* Larkin J.
Gallery EDM, Campbell S, Ilkovski B, Sinclair MJ, Jackson C. A novel *in vitro* co-culture system for the study of maternal decidual endothelial cell-trophoblast interactions in human pregnancy 651
Gallus AS. *See* Burrows RF.
Gammell SJ. *See* Wong to Fong LF.
Gan ET. *See* Burrows RF.
Garcia F. *See* Rufford BD.
Gardeil F. *See* Dennedy MC.
Gardosi J. *See* Clausson B.
Garel C. *See* Burc L.
Gargari SS. *See* Kean LH.
Gargett C. *See* Schneider-Kolsky M.
Garry R. *See* Jones K.
Geary M. *See* Mackey R.
Gee H. *See* MacArthur C.
Geirsson RT. *See* Bjarnadottir RI.
Georgiou M, Shehata HA, Chaliha C, Byrne PD, McWhinney NA, Gough PM. Fasciitis, a rare complication of Burch colposuspension 227
Ghidini A. *See* Locatelli A.
Giannopoulos T, O'Brien P, Varma R. Successful delivery of monoamniotic triplets 892
Gibbs A. *See* Kozman E.
Giles H. *See* Wilson RJ.
Gillespie AM, Rodgers S, Coleman RE, Tidy J, Wilson AP, Murray AK. A comparison of the frequency of detection of MAGE-1 expression in ovarian tumours by reverse transcription polymerase chain reaction (RTPCR) and immunohistochemistry 551
Gillis CR. *See* Crawford SC.
Gillmer M. *See* Lavery PG.
Girish T, Lamb MP, Rollason TP, Brown IJR. An endometrioid tumour of the ovary presenting with hyperandrogenism, secondary polycythaemia and hypertension 330
Girling J, de Swiet M. Material thyroid disease, a risk factor for newborn encephalopathy 769
Girling J. *See* Kenyon AP.
Glasser B. *See* Freeman-Wang T.
Glazener CMA. *See* MacArthur C.
Glezerman M. *See* Lurie S.
Goffinet F, Aboulker D, Paris-Llado J, Bucourt M, Uzan M, Papiernik E, Bréart G. Screening with a uterine Doppler in low risk pregnant women followed by low dose aspirin in women with abnormal results, a multicenter randomised controlled trial 510
Goffinet F. *See* Bouvier-Colle M-H.
Goffinet F. *See* Rozenberg P.
Goh S-K, Gull SE, Alexander GJM. Pregnancy in primary biliary cirrhosis complicated by portal hypertension, report of a case and review of the literature 760
Gold L. *See* Stewart A.
Goldberg D, McIntyre PG, Smith R, Appleyard K, Dunlop J, Taylor A, Hutchinson S. Hepatitis C virus among high and low risk pregnant women in Dundee, unlinked anonymous testing 365
Goldenberg M. *See* Cohen SB.
Gordon B. *See* Grant A.
Gore ME. *See* Kolomainen DF.
Gornall RJ. *See* Nieto J.
Gornall RJ. *See* Soutter WP.
Gornall RJ, Standfield N, deSouza NM, Aachi VR, McIndoe GAJ. Resection of recurrent bulky gynaecological side wall malignancy with iliac vessel reconstruction 1305
Gottfredsdottir H. *See* Bjarnadottir RI.
Gough PM. *See* Georgiou M.
Govender L. *See* Jolly M.
Graafmans WC, Richardus J-H, Macfarlane A, Rebagliato M, Blondel B, Verloove-Vanhorick SP, Mackenbach JP. Comparability of published perinatal mortality rates in Western Europe, quantitative impact of differences in gestational age and birthweight criteria 1237
Graham WJ. *See* Bell JS.
Grant A, Gordon B, Mackrodat C, Fern E, Truesdale A, Ayers S. The Ipswich childbirth study, one year follow up of alternative methods used in perineal repair 34
Grant AM. *See* Cooper KG.
Green A. *See* Lieberman G.
Greenwood C. *See* Impey L.
Greer IA. *See* Ang C.
Greer IA. *See* Ellison J.
Greer IA. *See* Ledingham M-A.
Gregory JF. *See* Bailey LB.
Grenman S. *See* Hurskainen R.
Griffiths PD. *See* Whitby E.
Grimes DA. *See* Stanwood NL.
Grimes DA. *See* van Vliet HAAM.
Groom KM, Bennet PR, Maxwell DJ, Shennan AH. Successful cerclage at advanced cervical dilatation in the second trimester 1005
Grunewald C. *See* Belfort MA.
Gudex G. *See* Sowter MC.
Gudmundsson S. *See* Lindqvist PG.
Guibourdenche J. *See* Burc L.
Guihard P, Blondel B. Trends in risk factors for caesarean sections in France between 1981 and 1995, lessons for reducing rates in future 48
Guillebaud J. *See* Szarewski A.
Gull SE. *See* Goh S-K.

Habiba MA. *See* Abu JI.
Hadjat S. *See* Siddiqui GK.
Haglund B. *See* Otterblad Olausson P.
Haidopoulos D. *See* Soutter WP.
Hall M, Tucker J. Randomised controlled trial of flexibility in routine antenatal care 776
Hall MH. *See* Bell JS.
Hall-Craggs M. *See* Minto CL.
Halligan AWF. *See* Abu JI.
Halligan AWF. *See* Lee VM.
Halmesmäki E. *See* Saisto T.
Hamontri S. *See* Chanrachakul B.
Hanson MA. *See* Kiserud T.
Haq S. *See* Radhakrishnan S.
Harris J. *See* Sebire NJ.
Harris TJ. *See* Shah S.

Harrison D. *See* Drake A.
Harrison-Woolrych M, Purdie D. Breast and pelvic examination in women taking hormone replacement therapy 1201
Hart K. *See* Scherf C.
Hart R, Khalaf Y, Lawson R, Bickerstaff H, Taylor A, Braude P. Screening for HIV, hepatitis B and C infection in a population seeking assisted reproduction in an inner London hospital 654
Harvey I. *See* Crowley T.
Hashiguchi Y. *See* Tsuda H.
Hastings RJ. *See* Quilter CR.
Haswell SJ. *See* Al-Kunani AS.
Haueisen J. *See* Schleussner E.
Haughney RVM, Hopewell J, Slade RJ, Dougal M, Reynolds KMM. The urological, bowel and psychosexual morbidity of women more than seven years after treatment for stage IB/IIA carcinoma of the cervix 547
Hawe J. *See* Jones K.
Hayman R. *See* Davis KR.
Heineman MJ. *See* Brölman HAM.
Heinonen PK. *See* Nieminen K.
Heinonen S. *See* Kallinen J.
Hellberg D. *See* Tchoudomirova K.
Henderson J, McCandlish R, Kumiega L, Petrou S. Systematic review of economic aspects of alternative modes of delivery 149
Hendler I. *See* Cohen SB.
Henriet I, Kaminski M. Impact of induced abortions on subsequent pregnancy outcome, the 1995 French national perinatal survey 1036
Henriksen T. *See* Clausen T.
Henry RJW. *See* Jain SP.
Herabutya Y. *See* Chanrachakul B.
Herbison GP. *See* MacArthur C.
Herd JA. *See* Belfort MA.
Herrington CS. *See* Kirwan JM.
Herrington CS. *See* Kirwan JM.
Hertzmark E. *See* Coley JL.
Hextall A, Bidmead J, Cardozo L, Hooper R. Impact of the menstrual cycle on urinary symptoms and the results of urodynamic investigation 1193
Hill NCW. *See* Sau M.
Hillier C. *See* Ang C.
Hilson AJW. *See* Lieberman G.
Hilton P. *See* Blakeman PJ.
Ho LF, Lao T. Postpartum depression, identification of women at risk 774
Ho LF. *See* Lao T.
Hofmeyr GJ, Alfirevic Z, Matonhodze B, Brocklehurst P, Campbell E, Nikodem VC. Titrated oral misoprostol solution for induction of labour, a multicentre, randomised trial 952
Hogston P. *See* Nieto J.
Holland CM, Latimer JA, Crawford RAF. The laparoscopic management of endometrial cancer in East Anglia 547
Hollema H. *See* de Hullu JA.
Hollings N. *See* Minto CL.
Holman S. *See* Quilter CR.
Holmes A, Jauniaux E, Rodeck C. Monopolar thermocoagulation in acardiac twinning 1000
Holmes P, Oppenheimer LW, Wu Wen S. Relationship between cervical dilatation at initial presentation in labour and subsequent intervention 1120
Homer CSE, Davis GK, Brodie PM, Sheehan A, Barclay LM, Wills J, Chapman MG. Collaboration in maternity care, randomised controlled trial comparing community-based continuity of care with standard hospital care 16
Hooper R. *See* Hextall A.
Hopewell J. *See* Haughney RVM.
Horner P. *See* Crowley T.
Hosaka M. *See* Matsushita M.
Hosker G. *See* Bugg GJ.
Hoveyda F, MacKenzie IZ. Secondary postpartum haemorrhage, incidence, morbidity and current management 927
Howard A. *See* Kozman E.
Howell C, Kidd C, Roberts W, Upton P, Lucking L, Jones PW, Johanson RB. A randomised controlled trial of epidural compared with non-epidural analgesia in labour 27
Hsu R. *See* Abu JI.
Huang S-C. *See* Cheng Y-M.
Huisjes AJM. *See* Wijnberger LDE.
Hunter D. *See* Coley JL.
Hurskainen R, Aalto A-M, Teperi J, Grenman S, Kivelä A, Kujansuu E, Vuorma S, Yliskoski M, Pavonen J 281
Hutchinson S. *See* Goldberg D.
Hutchon DJR, Ahmed F. Naegele's rule, a reappraisal 775
Hutson RC, Maitland NJ, Wells M. p53 protein expression in putative precursor lesions of epithelial ovarian cancer and its relationship to mutations in the p53 gene 551

Ilkovski B. *See* Gallery EDM.
Impey L, Greenwood C, MacQuillan K, Reynolds M, Sheil O. Fever in labour and neonatal encephalopathy, a prospective cohort study 594
Ince C. *See* Vollebregt KC.
Ind T. Laparoscopic approach for carcinoma of the endometrium (LACE), a systematic review and proposal for a randomised controlled trial 552
Ind TEJ, Shelton JC, Shepherd JH. Influence of training on reliability of surgical knots 1013
Inoue T. *See* Tsuda H.
Intelisano G. *See* Caruso S.
Irion O. *See* Stan CM.
Iversen O-E. *See* Skulstad SM.

Jack SA. *See* Cooper KG.
Jackson C. *See* Gallery EDM.
Jain SP, Henry RJW. Haematocolpos following allogeneic bone marrow transplantation for chronic myeloid leukaemia 1309
Jaïs J-P. *See* Agostini A.
Jaïs J-P. *See* Lécuru F.
James DK. *See* Kean LH.
James DK. *See* Strachan BK.
James M. *See* Sharma A.
Jarvis GJ. *See* Taylor GM.
Jarvis M. *See* Szarewski A.
Jauniaux E. *See* Holmes A.
Jauniaux E. *See* Kiserud T.
Jayawickrama NS. *See* Ashraf M.
Jayson GC. *See* Sengupta PS.
Jenkins JM, Cook J, Edwards J, Draycott T, Cahill DJ. Medical education with the Internet, a pilot training programme in reproductive medicine 114
Jeyarajah AR. *See* Weekes ARL.
Jeyarajah AR, Weekes ARL. Laparoscopic retroperitoneal para-aortic lymph node dissection, applications of a novel surgical technique 547
Jjuuko G. *See* Moodley J.
Johanson R, Kumar M, Obhrai M, Young P. Management of massive postpartum haemorrhage, use of a hydrostatic balloon catheter to avoid laparotomy 420
Johanson RB. *See* Howell C.
Johnson MR. *See* Anim-Nyame N.
Johnson MR. *See* Ogueh O.
Johnson N, Busfield R, Sadler L, Lethaby A, Farquhar C. Management of menorrhagia, SMART study (Satisfaction with Mirena and Ablation, a Randomised Trial) 773
Johnson NP. Can diagnostic laparoscopy be avoided in routine investigation for infertility 128

Johnson OC. *See* Brain KA.
Johnston DG. *See* Kousta E.
Johnston S. *See* Kolomainen DF.
Johnston TA, Cameron AD. Atosiban for the primary prevention of preterm labour 886
Jolly M. *See* Sebire NJ.
Jolly M, Taylor M, Rose G, Govender L, Fisk NM. Interstitial laser, a new surgical technique for twin reversed arterial perfusion sequence in early pregnancy 1098
Jones J. *See* Anim-Nyame N.
Jones J. *See* Ogueh O.
Jones K, Abbott J, , Hawe J, Sutton C, Garry R. Endometrial laser intrauterine thermotherapy for the treatment of dysfunctional uterine bleeding, the first British experience 749
Jones KD. *See* Okaro EO.
Jones P. *See* Byrom J.
Jones PW. *See* Howell C.
Jones RW, Rowan DM, Kirker J, Wilkinson EJ. Vulval lichen planus, progression of pseudoepitheliomatous hyperplasia to invasive vulva carcinoma 665
Jordan R. *See* Stewart A.
Jouppila P. *See* Kurkinen-Räty M.
Juang C-M. *See* Wang P-H.
Judge R. *See* Steiner M.
Jurkovic D. *See* Banerjee S.

Kaaya S. *See* Coley JL.
Kähler C, Schleussner E, Schneider U, Seewald J-H. Prenatal diagnosis of the Wolf-Parkinson-White syndrome by fetal magnetocardiography 335
Kähler C. *See* Schleussner E.
Kakues R. *See* Békési G.
Kallinen J, Marin K, Heinonen S, Mannermaa A, Palotie A, Ryynänen M. Wide scope prenatal diagnosis at Kuopio University Hospital 1997-1998, integration of gene tests and fetal karyotyping 505
Kametas N. *See* McAuliffe F.
Kametas NA. *See* Krampl E.
Kaminski M. *See* Henriet I.
Kanamu T. *See* Kozman E.
Kapiga S. *See* Coley JL.
Kärkkäinen T. *See* Kurkinen-Räty M.
Kausch S. *See* Schleussner E.
Kaye SB. *See* Kolomainen DF.
Kean LH, Gargari SS, Suwanrath C, Sahota DS, James DK. Comparison of fetal behaviour in term fetuses exposed to anticonvulsant medication with unexposed controls 1159
Keay SD. *See* Christie JH.
Kelleher C. *See* Bidmead J.
Kent A, Lemyre B, Loosley-Millman M, Paes B. Posterior fossa haemorrhage in a preterm infant following vacuum assisted delivery 1008
Kenyon AP, Nelson Piercy C, Girling J, Williamson C, Tribe RM, Shennan AH. Pruritus may precede abnormal liver function tests in pregnant women with obstetric cholestasis, a longitudinal analysis 1190
Kestler E. *See* Merchant KM.
Kew FM, Ashton V, Cruickshank DJ. Transvaginal ultrasonography as a screening tool for ovarian cancer, it it an acceptable test 552
Khalaf Y. *See* Hart R.
Khan KS, Chien PFW. Evaluation of a clinical test, I: assessment of reliability 562
Khan KS. *See* Chien PFW.
Khullar V. *See* Bidmead J.
Khullar V. *See* Salvatore S.
Kidd C. *See* Howell C.
Kiely EA. *See* O'Sullivan MJ.
Kiff ES. *See* Bugg GJ.
King DM. *See* Kolomainen DF.
Kingsland CR. *See* Thomas K.
Kinsella SM. Epidural analgesia for labour and instrumental vaginal delivery, an anaesthetic problem with an obstetric solution 1
Kirker J. *See* Jones RW.
Kirwan JM, Herrington CS. Human papillomavirus and cervical cancer, where are we now 1204
Kirwan JM, Herrington CS, Kirwan JMJ. Papillomavirus infection and glandular neoplasia of the cervix 556
Kirwan JMJ. *See* Kirwan JM.
Kiserud T, Jauniaux E, West D, Ozturk O, Hanson MA. Circulatory responses to maternal hyperoxaemia and hypoxaemia assessed non-invasively in fetal sheep at 0.3-0.5 gestation in acute experiments 359
Kiserud T. *See* Skulstad SM.
Kishida T. *See* Yamamoto R.
Kitchener HC. *See* Sengupta PS.
Kitmirides SJ. *See* Antsaklis AJ.
Kitmirides SJ. *See* Papantoniou NE.
Kivelä A. *See* Hurskainen R.
Kleinschmidt I. *See* Bagratee JS.
Knight R. *See* Al-Kunani AS.
Knox EG. *See* MacArthur C.
Kobayashi Y. *See* Tsuda H.
Koelbl H, Stoerer S, Seliger G, Wolters M. Transurethral penetration of a tension-free vaginal tape 763
Koga T, Athayde N, Trudinger B. Fetal cardiac isovolumetric contraction time in normal pregnancy with placental vascular disease, first clinical report using new ultrasound technique 179
Kokonya D. *See* Morrison CS.
Kolomainen DF, Larkin J, Badran M, MacVicar D, King DM, A'Hern R, Johnston S, Blake P, Bridges J, Barton DPJ, Shepherd JH, Kaye SB, Gore ME. Cerebral metastasis from primary epithelial ovarian cancer (EOC) 556
Konje JC, Bell SC, Taylor DJ. Abnormal Doppler velocimetry and blood flow volume in the middle cerebral artery in very severe intrauterine growth restriction, is the occurrence of reversal of compensatory flow too late 973
Koskela M. *See* Kurkinen-Räty M.
Kousta E, Lawrence NJ, Anyaoka V, Johnston DG, McCarthy MI. Prevalence and features of pancreatic islet cell autoimmunity in women with gestational diabetes from different ethnic groups 716
Kozman E, Collins P, Howard A, Akanmu T, Gibbs A, Frazer M. The effect of an intrauterine application of two percent lignocaine gel on pain perception during Vabra endometrial sampling, a randomised double-blind, placebo-controlled trial 87
Krampl E, Kametas NA, Cacho Zegarra AM, Roden M, Nicolaides KH. Maternal plasma glucose at high altitude 254
Krampl E. *See* McAuliffe F.
Kublickine KR. *See* Van Wijk MJ.
Kudo R. *See* Akutagawa N.
Kuhansuu E. *See* Hurskainen R.
Kumar B. *See* Roberts D.
Kumar M. *See* Johanson R.
Kumar U. *See* O'Sullivan MJ.
Kumiega L. *See* Henderson J.
Kuper HE. *See* Mucci LA.
Kurkinen-Räty M, Ruokonen A, Vuopala S, Koskela M, Rutanen E-M, Kärkkäinen T, Jouppila P. Combination of cervical interleukin-6 and -8, phosphorylated insulin-like growth factor-binding protein-1 and transvaginal cervical ultrasonography in assessment of risk of preterm birth 875
Kuuva N. *See* Nilsson CG.
Kwok C. *See* Morrison CS.
Kwon J, Davies GAL, Mackenzie, V. A comparison of oral and vaginal misoprostol for induction of labour at term, randomised trial 23
Kyle PM. *See* Murphy DJ.

La Villa G. *See* Del Bene R.
Labrecque M, Eason E, Marcoux S. Women's views on the practice of prenatal perineal massage 499
Ladhani S. *See* Nomoh C.
Lagiou P. *See* Mucci LA.
Lahna Z. *See* Rozenberg P.
Laing IA. *See* Dundas KC.
Lam PKW. *See* Leung TN.
Lamb MP. *See* Girish T.
Lammes FB. Spontaneous opening of the Filshie clip as a cause of sterilisation failure 657
Lampert I. *See* Soutter WP.
Lamyian M. *See* Ziaei S.
Lancashire RJ. *See* MacArthur C.
Lancashire RJ. *See* MacArthur C.
Lang GD. *See* MacArthur C.
Lansac J. *See* Bouvier-Colle M-H.
Lao T, Ho LF. Randomised controlled pilot study of the management of gestational impaired glucose tolerance 769
Lao T. *See* Ho LF.
Larkin J, Nystrom M, Wilson P, Slevin ML, Gallagher CJ. Cisplatin in cervical carcinoma 557
Larkin J. *See* Kolomainen DF.
Latimer JA. *See* Holland CM.
Lau LC, Adaikan PG, Arulkumaran S, Ng SC. Oxytocics reverse the tocolytic effect of glyceryl trinitrate on the human uterus 164
Lau TK. *See* Chan LY-S.
Lau TK. *See* Tam W-H.
Lavery PG, Gillmer M. Malignant transformation of residual endometriosis in women on unopposed oestrogen hormone replacement therapy 1106
Lawal AO, Beynon DWG. Screening for familial ovarian cancer, a practical approach 554
Lawrence A. *See* Banerjee S.
Lawrence NJ. *See* Kousta E.
Lawrenson RA. *See* Simpson EL.
Lawson R. *See* Hart R.
Lazzeri C. *See* Del Bene R.
Lécuru F, Agostini A, Camatte S, Robin F, Aggerbeck M, Jaïs J-P, Vildé F, Taurelle R. Impact of pneumoperitoneum on visceral metastasis rate and survival, results in two ovarian cancer models in rats 733
Lécuru F. *See* Agostini A.
Ledingham M-A, Thomson AJ, Lunan CB, Greer IA, Norman JE. A comparison of isosorbide mononitrate, misoprostol and combination therapy for first trimester pre-operative cervical ripening, a randomised controlled trial 276
Lee VM, Halligan AWF, Ng LL. Leucocyte intracellular pH and Na+/H+ exchanger isoform-1 activity in postpartum women with pre-eclampsia 615
Lee W-L. *See* Wang P-H.
Lemyre B. *See* Kent A.
Lepercq J, Conard J, Borel-Derlon A, Darmon J-Y, Boudignat O, Francoual C, Priollet P, Cohen C, Yvelin N, Schved J-F, Tournaire M, Borg J-Y. Venous thromboembolism during pregnancy, a retrospective study of enoxaparin safety in 624 pregnancies 1134
Leron E, Stanton SL. Sacrohysteropexy with synthetic mesh for the management of uterovaginal prolapse 629
Leskosek B. *See* Pajntar M.
Leslie JR. *See* Farrell T.
Lethaby A. *See* Johnson N.
Letsky EA. *See* van den Broek NR.
Leung TN, Chung TKH, Madsen G, Lam PKW, Sahota D, Smith R. Rate of rise in maternal plasma corticotrophin-releasing hormone and its relation to gestational length 527
Leung TN. *See* Tam W-H.
Levit A. *See* Peleg D.
Lévy G. *See* Bouvier-Colle M-H.
Lidor AL. *See* Cohen SB.
Lieberman G, MacLean AB, Buscombe JR, Hilson AJW, Adamson K, Reid WM, Green A, Begent RH. Clinical application of a dual head gamma camera with coincidence detection in 20 women with suspected ovarian cancer 1229
Limburg M. *See* Zatik J.
Lin H-C. *See* Cheng Y-M.
Lindow SW. *See* Al-Kunani AS.
Lindqvist PG, Gudmundsson S. Maternal carriership of factor V Leiden associated with pathological uterine artery Doppler measurements during pregnancy 1103
Linehan J. *See* Freeman-Wang T.
Locatelli A, Vergani P, Bellini P, Strobelt N, Ghidini A. Can a cyclooxygenase type-2 selective tocolytic agent avoid the fetal side effects of indomethacin 325
Lochrie DP. *See* Nomoh C.
Lofts F. *See* Radhakrishnan S.
Loos RJF, Derom C, Derom R, Vlietinck R. Birthweight in liveborn twins, influence of umbilical cord insertion and fusion of placentas 943
Low N. *See* Crowley T.
Lucking L. *See* Howell C.
Lumley J, Watson L, Watson M, Bower C. Modelling the potential impact of population-wide perioconceptional folate/multivitamin supplementation on multiple births 937
Lumsden MA. *See* Ang C.
Lunan CB. *See* Ledingham M-A.
Lupo L. *See* Caruso S.
Lurie S, Rotmensch S, Glezerman M. Prenatal management of women who have partial Rh (D) antigen 895
Luton D. *See* Burc L.
Lyrenäs S, Clason I, Ulmsten U. In vivo controlled release of PGE2 from a vaginal insert (0.8 mm, 10 mg) during induction of labour 169

MacArthur C, Glazener CMA, Wilson PD, Herbison GP, Gee H, Lang GD, Lancashire R. Obstetric practice and faecal incontinence three months after delivery 678
MacArthur C, Knox EG, Lancashire RJ. Effects at age nine of maternal smoking in pregnancy, experimental and observational findings 67
McAuliffe F, Kametas N, Krampl E, Ernsting J, Nicolaides K. Blood gases in pregnancy at sea level and high altitude 980
McCandlish R. *See* Henderson J.
McCarthy MI. *See* Kousta E.
MacDonald A. *See* Ang C.
Macfarlane A. *See* Graafmans WC.
McIndoe GAJ. *See* Gornall RJ.
McIndoe GAJ. *See* Soutter WP.
McIntyre PG. *See* Goldberg D.
Mackenbach JP. *See* Graafmans WC.
McKenna P. *See* Connolly G.
McKenna P. *See* Mackey R.
McKenna PJ. *See* Bosio PM.
Mackenzie IZ. Decision to delivery for assisted vaginal vertex delivery 131
MacKenzie IZ. *See* Hoveyda F.
Mackenzie VP. *See* Kwon J.
Mackey R, Geary M, Dornan J, McKenna P. Successful pregnancy follwoing transabdominal cervical cerclage for cervical hypoplasia 1111
Mackrodat C. *See* Grant A.
MacLean AB. *See* Lieberman G.
MacLean AB. *See* Rolfe KJ.
MacLean AB. *See* Siddiqui GK.
MacLean AB. *See* Wong to Fong LF.
McLellan A. *See* Bidmead J.

McMillan L. *See* Weekes ARL.
MacQuillan K. *See* Impey L.
MacVicar D. *See* Kolomainen DF.
McWhinney NA. *See* Georgiou M.
Maddox P. *See* Szarewski A.
Madsen G. *See* Leung TN.
Maed K. *See* Tsuda H.
Magnus P, Eskild A. Seasonal variation in the occurrence of pre-eclampsia 1116
Magos A. *See* Miskry T.
Magyar Z. *See* Békési G.
Mahieu-Caputo D, Sonigo P, Dommergues M, Fournet JC, Thalabard JC, Abarca C, Benachi A, Brunelle F, Dumez Y. Fetal lung volume measurement by magnetic resonance imaging in congenital diaphragmatic hernia 863
Maitland NJ. *See* Hutson RC.
Majeed AW. *See* Abdi S.
Major T. *See* Zatik J.
Mamelle N. *See* David S.
Mannermaa A. *See* Kallinen J.
Mannion P. *See* Thomas DK.
Manuelpillai U. *See* Schneider-Kolsky M.
Marcoux S. *See* Labrecque M.
Mardh P-A. *See* Tchoudomirova K.
Marin K. *See* Kallinen J.
Markestad T. *See* Moster D.
Marret H. *See* Ecochard R.
Marsal K. Association of cerebral perfusion pressure with headache in women with pre-eclampsia 126
Martin A, O'Sullivan AJ, Brown MA. Body composition and energy metabolism in normotensive and hypertensive pregnancy 1263
Martini E. *See* Del Bene R.
Maserati R. *See* Spinillo A.
Mason WP. *See* Soutter WP.
Mathura KR. *See* Vollebregt KC.
Matonhodze B. *See* Hofmeyr GJ.
Matsushita M, Yabushita H, Hosaka M, Noguchi M, Nakanishi M. Venous malformation of the vulva 669
Maxwell DJ. *See* Groom KM.
Mecacci F. *See* Del Bene R.
Mello G. *See* Del Bene R.
Merchant KM, Villar J, Kestler E. Maternal height and newborn size relative to risk of intrapartum caesarean delivery and perinatal distress 689
Mesogitis SA. *See* Antsaklis AJ.
Mesogitis SA. *See* Papantoniou NE.
Michailidis GD, Spencer K, Economides DL. Use of nuchal translucency measurement and second trimester biochemical markers in screening for Down's syndrome 1047
Michalas SS. *See* Antsaklis AJ.
Milliez J. *See* Reznikoff-Etiévant MF.
Minto CL, Hollings N, Hall-Craggs M, Creighton S. Magnetic resonance imaging in the assessment of complex Müllerian anomalies 791
Miskry T, Magos A. Mass closure, new technique for closure of vaginal vault at vaginal hysterectomy 1295
Mol WJ. *See* Wijnberger LDE.
Molnar C. *See* Zatik J.
Momoh C, Ladhani S, Lochrie DP, Rymer J. Female genital mutilation, analysis of the first twelve months of southeast London specialist clinic 186
Monaghan JM. *See* Flannelly G.
Monaghan JM. *See* Naik R.
Moodley J, Jjuuko G, Rout C. Epidural compared with general anaesthesia for caesarean delivery in conscious women with eclampsia 378
Moodley J. *See* Bagratee JS.
Moore KH. *See* Simons AM.
Morgan M. *See* Christie JH.
Morgan M. *See* Moselhi M.
Morison L. *See* Scherf C.
Morris M, Nicoll A, Simms I, Wilson J, Catchpole M. Bacterial vaginosis, a public health review 439
Morrison CS, Sekadde-Kigondu C, Sinei SK, Weiner DH, Kwok C, Kokonya D. Is the intrauterine device appropriate contraception for HIV-1-infected women 784
Morrison JJ. *See* Dennedy MC.
Morrison JJ. *See* Slattery MM.
Morsche R. *See* Zusterzeel PLM.
Moselhi M, Morgan M. Use of a portable bladder scanner to reduce the incidence of bladder catheterisation prior to laparoscopy 423
Moster D, Terje Lie R, Markestad T. Neonatal mortality rates in communities with small maternity units compared with those having larger maternity units 904
Mould T. *See* Baluch C.
Mould T. *See* Shepherd JH.
Moustaki M. *See* Petridou E.
Msamanga GI. *See* Coley JL.
Mucci LA, Kuper HE, Tamimi R, Lagiou P, Spanos E, Trichopoulos D. Age at menarche and age at menopause in relation to hepatocellular carcinoma in women 291
Mundy A. *See* Venkataraman G.
Murphy DJ, Kyle PM, Cairns P, Weir P, Cusick E, Soothill PW. Ex-utero intrapartum treatment for cervical teratoma 429
Murphy MFG. *See* Redburn JC.
Murray AK. *See* Gillespie AM.
Murray HG. *See* Rogers MS.
Mutin M. *See* Bretelle F.

Naftalin NJ. *See* Abu JI.
Naik R, de Barros Lopes A, Monaghan J. Does histological incomplete excision of cervical intraepithelial neoplasia following large excision of transformation zone increase recurrence rates, a six-year cytological follow up 771
Naka K. *See* Nordström L.
Nakanishi M. *See* Matsushita M.
Nakielny RA. *See* Abdi S.
Nandi M. *See* Wilson RJ.
Natale V, Albertazzi P, Zini M, Di Micco R. Exploration of cyclical changes in memory and mood in postmenopausal women taking sequential combined oestrogen and progestogen preparations 286
Naughten ER. *See* Yap S.
Neito JJ. *See* Rolfe KJ.
Nelson Piercy C. *See* Kenyon AP.
Nelson-Piercy C, Fayers P, de Swiet M. Randomised, double-blind, placebo-controlled trial of corticosteroids for the treatment of hyperemesis gravidarum 9
Newbury-Ecob R. *See* Thein A.
Ng LL. *See* Lee VM.
Ng PC. *See* Choy CMY.
Ng SC. *See* Lau LC.
Nicholas N. *See* Soutter WP.
Nicklin JL. *See* Quinlivan JA.
Nicolaides KH. *See* Krampl E.
Nicolaides KH. *See* McAuliffe F.
Nicolaides KH. *See* Ogueh O.
Nicolaides KH. *See* Sutcliffe AG.
Nicoll A. *See* Morris M.
Nieminen K, Heinonen PK. Sacrospinous ligament fixation for massive genital prolapse in women aged over 80 years 817
Nieto J, Gornall R, Drake A, Clarkson S, Hogston P, Woolas R. Influence of omental biopsy on adjuvant treatment field in clinical stage I endometrial carcinoma 555
Nightingale AL. *See* Simpson EL.
Nikodem VC. *See* Hofmeyr GJ.

Nilsson CG, Kuuva N. The tension-free vaginal tape procedure is successfulo in the majority of women with indications for surgical treatment of urinary stress incontinence 414
Nisand I. *See* Rozenberg P.
Nisell H. *See* Belfort MA.
Nisell H. *See* Van Wijk MJ.
Nishikawa A. *See* Akutagawa N.
Noguchi M. *See* Matsushita M.
Nordström L, Achanna S, Naka K, Arulkumaran S. Fetal and maternal lactate increase during active second stage of labour 263
Norman JE. *See* Ledingham M-A.
Nurmi J-E. *See* Saisto T.
Nystrom M. *See* Larkin J.

Obhrai M. *See* Johanson R.
O'Brien P. *See* Giannopoulos T.
Ogueh O, Wright EM, Jones J, Alaghband-Zadeh J, Nicolaides KH, Johnson MR. Fetal bone metabolism in normal and rhesus isoimmunised pregnancies 986
O'Herlihy C. *See* Bosio PM.
Ohlsson A. *See* Allen VM.
Okaro EO, Jones KD, Sutton C. Long term outcome following laparoscopic supracervical hysterectomy 1017
O'Leary MJ. *See* Slattery MM.
Onyeka BA. Levonorgestrel-releasing (20 mcg/day) intrauterine systems (Mirena) compared with other methods of reversible contraceptives 770
Oppenheimer LW. *See* Holmes P.
Oram DH. *See* Shepherd JH.
O'Sullivan AJ. *See* Martin A.
O'Sullivan MJ, Kumar U, Kiely EA. Ureteric obstruction with mucocoele of the appendix due to endometriosis 124
Otterblad Olausson P, Cnattingius S, Haglund B. Does the increased risk of preterm delivery in teenagers persist in pregnancies after the teenage period 7221
Ould El Joud D. *See* Bouvier-Colle M-H.
Oury JF. *See* Burc L.
Ozturk O. *See* Kiserud T.

Paavonen J. *See* Hurskainen R.
Paes B. *See* Kent A.
Painter R. *See* Doll H.
Pajntar M, Leskosek B, Rudel D, Verdenik I. Contribution of cervical smooth muscle activity to the duration of latent and active phases of labour 533
Pakarian F, Bewley S, Pearson TC. Prenatal hypoxic ischaemic-encephalopathy leading to microcephaly in sickle cell pregnancy with recovery from 'terminal CTG' 219
Paley MN. *See* Whitby E.
Palot M. *See* Bouvier-Colle M-H.
Palotie A. *See* Kallinen J.
Pandian Z, Ashok P, Templeton A. Treatment of incomplete miscarriage with oral misoprostol 213
Pang CCP. *See* Rogers MS.
Panoskaltsis T. *See* Rosenthal AN.
Panoskaltsis T. *See* Rosenthal AN.
Pansky S. *See* Peleg D.
Papantoniou NE, Daskalakis GJ, Tziotis JG, Kitmirides SJ, Mesogitis SA, Antsaklis AJ. Risk factors predisposing to fetal loss following second trimester amniocentesis 1053
Papantoniou NE. *See* Antsaklis AJ.
Papiernik E. *See* Goffinet F.
Parham GP. *See* Santin AD.
Paris-Llado J. *See* Goffinet F.
Parkin DE. *See* Cooper KG.
Parretti E. *See* Del Bene R.
Pasini A, Alfieri L, Belloni C. Laparoscopic treatment of ectopic pregnancy resulting from intrauterine transmigration 545
Paterson MEL. *See* Pisal NV.
Pazmany T. *See* Békési G.
Pearson TC. *See* Pakarian F.
Pecorelli S. *See* Santin AD.
Peleg D, Perlitz Y, Pansky S, Levit A, Ben-Ami M. Accidental delivery through a vaginal incision (laparoelytrotomy) during caesarean section in the second stage of labour 659
Pennell CE. *See* Rogers MS.
Penney GC. *See* Bell JS.
Penney GC. *See* Crawford SC.
Perlitz Y. *See* Peleg D.
Perrett CW. *See* Rolfe KJ.
Perrett CW. *See* Siddiqui GK.
Perrett CW. *See* Wong to Fong LF.
Peschers UM, Fanger G, Schaer GN, Vodusek DB, DeLancey JOL, Schuessler B. Bladder neck mobility in continent nulliparous women 320
Peters WHM. *See* Zusterzeel PLM.
Petersen RW. *See* Quinlivan JA.
Petridou E, Salvanos H, Skalkidou A, Dessypris N, Moustaki M, Trichopoulos D. Are there common triggers of preterm deliveries 598
Petrie KJ. *See* Sowter MC.
Petrou S. *See* Henderson J.
Phillips W. *See* Stewart A.
Piers DA. *See* de Hullu JA.
Pigott AJ. *See* Sutcliffe AG.
Pisal NV, Tidy JA, Smith JHF, Paterson MEL. Are vault smears useful in detection of cervical cancer recurrence 554
Polak JM. *See* Butler-Manuel SA.
Polatti F. *See* Spinillo A.
Ponder BAJ. *See* Stratton JF.
Ponnampalam J. *See* Davis KR.
Pope C, Campbell R. Qualitative research in obstetrics and gynaecology 233
Popkin B. *See* van Vliet HAAM.
Porquet D. *See* Burc L.
Price JH. *See* Zawislak A.
Priollet P. *See* Lepercq J.
Purdie D. *See* Harrison-Woolrych M.
Purmessur S. *See* Adekanmi OA.
Pymar HC. *See* Creinin MD.

Quilter CR, Holman S, Al-Hammadi RMYA, Theodorides D, Hastings RJ, Delhanty JDA. Aneuploidy screening in direct chorionic villus samples by fluorescence in situ hybridisation, use of commercial probes in a clinical setting 215
Quinlivan JA, Petersen RW, Nicklin JL. Accuracy of frozen section for the operative management of endometrial cancer 798

Rabilloud M. *See* Ecochard R.
Rabinovichi J. *See* Cohen SB.
Radhakrishnan S, Haq S, Lofts F, Young MPA, Barton DPJ. Ovarian dysgerminoma presenting with hypercalcaemia 1302
Raijmakers MTM. *See* Zusterzeel PLM.
Rainey AJ. *See* Sabatini L.
Rane A. Comparison of bladder neck movement and elevation after tension free vaginal tape and colposuspension 776
Rasmussen S. *See* Skulstad SM.
Ravaggi A. *See* Santin AD.
Rebagliato M. *See* Graafmans WC.
Redburn JC, Murphy MFG. Hysterectomy prevalence and adjusted cervical and uterine cancer rates in England and Waltes 388
Redman CWE. Does histological incomplete excision of cervical intraepithelial neoplasia following large excision of transformation zone increase recurrence rates, a six-year cytological follow up 771

Redman CWE. *See* Byrom J.
Regan L. *See* Sebire NJ.
Reid R. *See* Steiner M.
Reid WM. *See* Lieberman G.
Reid WMN. *See* Rolfe KJ.
Reid WMN. *See* Siddiqui GK.
Reid WMN. *See* Singh K.
Reid WMN. *See* Wong to Fong LF.
Reynolds K. *See* Sengupta PS.
Reynolds KMM. *See* Haughney RVM.
Reynolds M. *See* Impey L.
Reznikoff-Etiévant MF, Cayol V, Carbonne B, Robert A, Coulet F, Milliez J. Factor V Leiden and G20210A prothrombin mutations are risk factors for very early recurrent miscarriage 1251
Richardus J-H. *See* Graafmans WC.
Rigatti P. *See* Bertini R.
Rivière O. *See* David S.
Robert A. *See* Reznikoff-Etiévant MF.
Roberto A. *See* Rozenberg P.
Roberts D, Kumar B, Tincello DG, Walkinshaw SA. Computerised antenatal fetal heart rate recordings between 24 and 28 weeks of gestation 858
Roberts N, Ross D, Flint SK, Arya R, Blott M. Thromboembolism in pregnant women with mechanical prosthetic heart valves anticoagulated with low molecular weight heparin 327
Roberts W. *See* Howell C.
Robertshaw JK. *See* Rufford BD.
Robin F. *See* Agostini A.
Robin F. *See* Lécuru F.
Robinson D. *See* Bidmead J.
Robinson S. *See* Sebire NJ.
Roche B. *See* Faltin DL.
Rodeck C. *See* Chong YS.
Rodeck C. *See* Holmes A.
Roden M. *See* Krampl E.
Rodgers S. *See* Gillespie AM.
Rogers MS, Murray HG, Wang CC, Pennell CE, Turner A, Yan P, Pang CCP, Chang AMZ. Oxidative stress in the fetal lamb brain following intermittent umbilical cord occlusion, a path analysis 1283
Rogers MS. *See* Tam W-H.
Rolfe KJ, Neito JJ, Reid WMN, Perrett CW, MacLean AB. Does being blood group O protect you from vulva disease 557
Rolfe KJ. *See* Siddiqui GK.
Rolfe KJ. *See* Wong to Fong LF.
Rollason TP. *See* Girish T.
Roman J. *See* Santin AD.
Romano SJ. *See* Steiner M.
Romero-Carmona R. *See* Bartha JL.
Roscigno M. *See* Bertini R.
Rose G. *See* Jolly M.
Rosenthal AN. Fibroid embolisation, a technique not without significant complications 337
Rosenthal AN, Panoskaltsis T, Smith T, Soutter WP. How sinister is post-coital bleeding 552
Rosenthal AN, Panoskaltsis T, Smith T, Soutter WP. The frequency of significant pathology in women attending a general gynaecological service for postcoital bleeding 103
Ross D. *See* Roberts N.
Rotmensch S. *See* Lurie S.
Rout C. *See* Moodley J.
Rouzi AA, Aljhadali EA, Amarin ZO, Abduljabbar HS. Use of intrapartum defibulation in women with female genital mutilation 949
Rowan DM. *See* Jones RW.
Rowe-Murray HJ, Fisher JRW. Operative intervention in delivery is associated with compromised early mother-infant interaction 1068
Royston P. *See* Szarewski A.
Rozenberg P, Chevret S, Goffinet F, Durand-Zaleski I, Ville Y, Vayssière C, Roberto A, Lahna Z, Nisand I, Fisch C, Chaumet-Riffaud P, Chastang C. Induction of labour with a viable infant, randomised clinical trial comparing intravaginal misoprostol and intravaginal dinoprostone 1255
Rudel D. *See* Pajntar M.
Rufford BD, Garcia F, Robertshaw JK. Intraoperative estimation and preoperative histology in endometrial cancer 554
Ruokonen A. *See* Kurkinen-Räty M.
Rutanen E-M. *See* Kurkinen-Räty M.
Ryan M. *See* Bell JS.
Ryder WDJ. *See* Sengupta PS.
Rymer J. *See* Nomoh C.
Ryynänen M. *See* Kallinen J.

Sabatier F. *See* Bretelle F.
Sabatini L, Rainey AJ, Tenuwara W, Webb JB. Osseous metaplasia of cervical epithelium 333
Sadler L. *See* Johnson N.
Sagae S. *See* Akutagawa N.
Sahota DS. *See* Kean LH.
Sahota DS. *See* Leung TN.
Sahota DS. *See* Strachan BK.
Saisto T, Salmela-Aro K, Nurmi J-E, Halmesmäki E. Psychosocial characteristics of women and their partners fearing vaginal childbirth 492
Saito T. *See* Akutagawa N.
Salmela-Aro K. *See* Saisto T.
Salvanos H. *See* Petridou E.
Salvatore S, Khullar V, Cardozo L, Anders K, Zocchi G, Soligo M. Evaluating ambulatory urodynamics, prospective study in asymptomatic women 107
Sampol J. *See* Bretelle F.
Sangalli MR. *See* Faltin DL.
Santin AD, Bellone S, Ravaggi A, Roman J, Smith CV, Pecorelli S, Cannon MJ, Parham GP. Increased levels of interleukin-10 and transforming growth factor-β in the plasma and ascitic fluid of patients with advanced ovarian cancer 804
Sarhanis P. *See* Soutter WP.
Sarkar A. *See* Brain KA.
Satomura S. *See* Yamamoto R.
Sau M, Hill NCW. Pyoderma gangrenosum of the vulva 1197
Schaer GN. *See* Peschers UM.
Scherf C, Fiander A, Ekpo G, Morison L, Hart K, Walraven G, Borysiewisz L. Prevalence of human papillomavirus infection and cervical neoplasia in rural Gambia 553
Schleussner E, Schneider U, Kausch S, Kähler C, Haueisen J, Seewald H-J. Fetal mangetoencephalography, non-invasive method for the assessment of fetal neuronal maturation 1291
Schleussner E. *See* Kähler C.
Schneider U. *See* Kähler C.
Schneider U. *See* Schleussner E.
Schneider-Kolsky M, Manuelpillai U, Gargett C, Wallace EM. Activin $\beta_A$-subunit and activin receptors in human myometrium at term and during labour 869
Schuessler B. *See* Peschers UM.
Schulz KF. *See* Stanwood NL.
Schved J-F. *See* Lepercq J.
Schwartz JL. *See* Creinin MD.
Schwartz JL. *See* Creinin MD.
Sebire NJ, Jolly M, Harris J, Regan L, Robinson S. Is maternal underweight really a risk factor for adverse pregnancy outcome, a population-based study in London 61
Sebire NJ. *See* Sutcliffe AG.
Seewald H-J. *See* Kähler C.
Seewald H-J. *See* Schleussner E.
Seidman DS. *See* Cohen SB.
Sekadde-Kigondu C. *See* Morrison CS.

Seliger G. *See* Koelbl H.
Sengupta PS. Shanks JH. Buckley CH. Ryder WDJ. Reynolds K. Slade RJ. Kitchener HC. Jayson CG. Requirement for expert histopathological assessment of ovarian carcinoma and borderline tumours 548
Shah S. Harris TJ. Cook DG. Differences in hormone replacement therapy use by social class, region and psychological symptoms 269
Shanks JH. *See* Sengupta PS.
Sharma A. James M. Donaldson A. Fox R. Hereditary non-polyposis colorectal cancer syndrome, combined risk of gastrointestinal and gynaecological cancer 671
Sheehan A. *See* Homer CSE.
Shehata HA. *See* Georgiou M.
Sheil O. *See* Impey L.
Shelton JC. *See* Ind TEJ.
Shennan AH. *See* Groom KM.
Shennan AH. *See* Kenyon AP.
Shepherd JH. Mould T. Oram DH. Radical trachelectomy in early stage carcinoma of the cervix, outcome as judged by recurrence and fertility rates 882
Shepherd JH. *See* Baluch C.
Shepherd JH. *See* Ind TEJ.
Shepherd JH. *See* Kolomainen DF.
Shepherd JH. Woolas RP. Summerville K. Barton DPJ. Woodhouse CRJ. Conservative anterior exenteration with preservation of fertility potential and continent urinary diversion 117
Sherr L. *See* Freeman-Wang T.
Shetty A. Danielian P. Templeton A. A comparison of oral and vaginal misoprostol tablets in induction of labour at term 238
Shuler C. *See* Steiner M.
Siddiqui GK. *See* Wong to Fong LF.
Siddiqui GK. Wong te Fong LF. Rolfe KJ. Hadjat S. Reid WMN. MacLean AB. Perrett CW. The expression of vascular endothelial growth factor A (VEGF-A) in metastatic epithelial ovarian cancer is of prognostic significance 549
Siddiqui N. *See* Crawford SC.
Sigurdardottir K. *See* Bjarnadottir RI.
Simms I. *See* Morris M.
Simons AM. Yoong WC. Buckland S. Moore KH. Inadequate repeatibility of the one-hour pad test, the need for a new incontinence outcome measure 315
Simpson EL. Lawrenson RA. Nightingale AL. Farmer RDT. Venous thromboembolism in pregnancy and the puerperium, incidence and additional risk factors from a London perinatal database 56
Sinei SK. *See* Morrison CS.
Singh K. Reid WMN. Non-surgical treatment of uterovaginal prolapse using double vaginal rings 112
Sinosich MJ. *See* Gallery EDM.
Sjöberg I. *See* Danielsson I.
Skalkidou A. *See* Petridou E.
Skulstad SM. Rasmussen S. Iversen O-E. Kiserud T. The development of high venous velocity at the fetal umbilical ring during gestational weeks 11-19 248
Slade RJ. *See* Haughney RVM.
Slade RJ. *See* Sengupta PS.
Slattery MM. Brennan C. O'Leary MJ. Morrison JJ. Human chorionic gonadotrophin inhibition of pregnant human myometrial contractility 704
Slevin ML. *See* Larkin J.
Smarason AK. *See* Van Wijk MJ.
Smith CV. *See* Santin AD.
Smith Fawzi MC. *See* Coley JL.
Smith JHF. *See* Pisal NV.
Smith R. *See* Goldberg D.
Smith R. *See* Leung TN.
Smith SK. Angiogenesis and reproduction 777
Smith T. *See* Rosenthal AN.
Smith T. *See* Rosenthal AN.
Smith U. *See* van Vliet HAAM.
Sohrabvand F. *See* Ziaei S.
Soligo M. *See* Salvatore S.
Sonigo P. *See* Manieu-Caputo D.
Sooranna SR. *See* Anim-Nyame N.
Soothill P. *See* Thein A.
Soothill PW. *See* Murphy DJ.
Soutter WP. Haidopoulos D. Gornall RJ. McIndoe GA. Fox J. Mason WP. Flanagan A. Nicholas N. Barker F. Abrahams J. Lampert I. Sarhanis P. Is conservative treatment for adenocarcinoma *in situ* of the cervix safe 1184
Soutter WP. *See* Rosenthal AN.
Soutter WP. *See* Rosenthal AN.
Sowter MC. Farquhar CM. Gudex G. An economic evaluation of single dose systemic methotrexate and laparoscopic surgery for the treatment of unruptured ectopic pregnancy 204
Sowter MC. Farquhar CM. Petrie KJ. Gudex G. Randomised trial comparing single dose systemic methotrexate and laparoscopic surgery for treatment of unruptured tubal pregnancy 192
Spagnolo D. *See* Bertini R.
Spanos E. *See* Mucci LA.
Spencer K. Age related detection and false positive rates when screening for Down's syndrome in the first trimester using fetal nuchal translucency and maternal free serum free βhCG and PAPP-A 1043
Spencer K. *See* Michailidis GD.
Spiegelman D. *See* Coley JL.
Spinillo A. Debiaggi M. Zara F. Maserati R. Polatti F. De Santolo A. Factors associated with nucleic acids related to human immunodeficiency virus type 1 in cervico-vaginal secretions 634
Sprigg A. *See* Whitby E.
Sprintz D. *See* Békési G.
Sproston ARM. *See* Thomas K.
Stan CM. Boulvain M. Bovier PA. Auckenthaler R. Berner M. Irion O. Choosing a strategy to prevent neonatal early-onset group B streptococcal sepsis, economic evaluation 840
Standfield N. *See* Gornall RJ.
Stannard L. Bellis A. Maternal anaphylactic reaction to a general anaesthetic at emergency caesarean section for fetal bradycardia 539
Stanton SL. *See* Leron E.
Stanwood NL. Grimes DA. Schulz KF. Insertion of an intrauterine contraceptive device after induced or spontaneous abortion, review of the evidence 1168
Stark JM. Inadequate reducing systems in pre-eclampsia, a complementary role for vitamins C and E with thioredoxin-related activities 339
Steegers EAP. *See* Zusterzeel PLM.
Steer PJ. *See* Anim-Nyame N.
Steinberg S. *See* Steiner M.
Steiner M. Romano SJ. Babcock S. Dillon J. Shuler C. Berger C. Carter D. Reid R. Stewart D. Steinberg S. Judge R. The efficacy of fluoxetine in improving physical symptoms associated with premenstrual dysphoric disorder 462
Stewart A. Cummins C. Gold L. Jordan R. Phillips W. The effectiveness of the levonorgesterl-releasing intrauterine system in menorrhagia, a systematic review 74
Stewart D. *See* Steiner M.
Stoerer S. *See* Koelbl H.
Storley R. *See* Christie JH.
Strachan BK. Sahota DS. van Wijngaarden WJ. James DK. Chang AMZ. Computerised analysis of the fetal heart rate and relatin to acidaemia at delivery 848
Stratton JF. Ponder BAJ. A population-based study of early onset ovarian cancer 549
Strobelt N. *See* Locatelli A.
Struijk PC. *See* de Leeuw JW.
Summerville K. *See* Shepherd JH.
Sutcliffe AG. Sebire NJ. Pigott AJ. Taylor B. Edwards PR. Nicolaides KH. Outcome for children born after *in utero* laser ablation therapy

for severe twin-to-twin transfusion syndrome 1246
Sutton C. *See* Jones K.
Sutton C. *See* Okaro EO.
Suwanrath C. *See* Kean LH.
Suzuki S, Watanabe S, Araki T. Acute fatty liver of pregnancy at 23 weeks of gestation 223
Szarewski A, Maddox P, Royston P, Jarvis M, Anderson M, Guillebaud J, Cuzick J. The effect of stopping smoking on cervical Langerhans' cells and lymphocytes 295
Szekacs B. *See* Békési G.
Szymanski W. *See* Zachara BA

Tai BC. *See* Chong YS.
Tam W-H, Rogers MS, Lau T-K, Arumanayagam M. Predictive value of serum 1,5-anhydro-D-glucitol in pregnancies at increased risk of gestational diabetes mellitus and gestational impaired glucose tolerance 754
Tam WH. *See* Choy CMY.
Tamimi R. *See* Mucci LA.
Tangtrakul S. *See* Chanrachakul B.
Taub N. *See* Abu JI.
Taurelle R. *See* Lécuru F.
Taylor A. *See* Goldberg D.
Taylor A. *See* Hart R.
Taylor AA. Successful use of heparinoids in a pregnancy complicated by allergy to heparin 1011
Taylor B. *See* Sutcliffe AG.
Taylor DJ. *See* Konje JC.
Taylor GM, Ballard P, Harvis GJ. Vault prolapse and rectocele assessment of repair using sacrocolpopexy with mesh interposition 775
Taylor M. *See* Jolly M.
Tchoudomirova K, Mardh P-A, Hellberg D. Vaginal microbiological flora and behavioural and clinical findings in women with vulvar pain 451
Tebby S. *See* Byrom J.
Templeton A. *See* Pandian Z.
Templeton A. *See* Shetty A.
Tenuwara W. *See* Sabatini L.
Teperi J. *See* Hurskainen R.
Terje Lie R. *See* Moster D.
Thalabard JC. *See* Manieu-Caputo D.
Thein A, Charles A, Davies T, Newbury-Ecob R, Soothill P. The role of comparative genomic hybridisation in prenatal diagnosis 642
Theodorides D. *See* Quilter CR.
Thomas DK, Mannion P, Coughlin L. Can diagnostic laparoscopy be avoided in routine investigation for infertility 127
Thomas K, Sproston ARM, Kingsland CR. Case of vaginal argyrosis, all that glistens isn't gold 890
Thompson JW. *See* Al-Kunani AS.
Thomson AJ. *See* Ellison J.
Thomson AJ. *See* Ledingham M-A.
Thornton JG. *See* Brain KA.
Thornton S. *See* Wilson RJ.
Tidy J. *See* Gillespie AM.
Tidy JA. *See* Pisal NV.
Tincello D, White S, Walkinshaw S. Computerised analysis of fetal heart rate recordings in maternal type I diabetes mellitus 853
Tincello DG. *See* Roberts D.
Tinga DJ. *See* Wijma J.
Tooke-Miller C. *See* Belfort MA.
Toozs-Hobson P. *See* Bidmead J.
Tournaire M. *See* Lepercq J.
Trafikowska U. *See* Zachara BA
Tribe RM. *See* Kenyon AP.
Trichopoulos D. *See* Mucci LA.
Trichopoulos D. *See* Petridou E.
Trudinger B. *See* Kota T.
Truesdale A. *See* Grant A.
Tsai W-Y. *See* Wang P-H.
Tsuda H, Maed K, Hashiguchi Y, Inoue T, Kobayashi Y, Umesaki N, Yamamoto K. Malignant rhabdoid tumour of the uterine cervix 120
Tucker J. *See* Hall M.
Turner A. *See* Crowley T.
Turner A. *See* Rogers MS.
Tziotis JG. *See* Papantoniou NE.

Ubbink DTh. *See* Vollebregt KC.
Ulmsten U. *See* Lyrenäs S.
Umesaki N. *See* Tsuda H.
Upton P. *See* Howell C.
Uzan M. *See* Goffinet F.

Vacca A. Leptomeningocele, a rare complications of ventouse delivery 337
Vacher-Lavenu M-C. *See* Chapron C.
Van Bavel E. *See* Van Wijk MJ.
van den Broek NR, Letsky EA. Pregnancy and the erythrocyte sedimentation rate 1164
van der Zee AGJ. *See* de Hullu JA.
van Dulmen AM, van Weert JCM. Effects of gynaecological education on interpersonal communication skills 485
van Vliet HAAM, Grimes DA, Popkin B, Smith U. Lay persons' understanding of the risk of Down's syndrome in genetic counselling 649
van Weert JCM. *See* van Dulmen AM.
Van Wijk MJ, Boer K, Nisell H, Smarason AK, Van Bavel E, Kublickiene KR. Endothelial function in myometrial resistance arteries of normal pregnant women perfused with syncytiotrophoblast microvillous membranes 967
van Wijngaarden WJ. *See* Strachan BK.
van Zwet AA. *See* Vermeulen GM.
Varbiro S. *See* Békési G.
Varma R. *See* Giannopoulos T.
Varner MA. *See* Belfort MA.
Varnoux N. *See* Bouvier-Colle M-H.
Vayssière C. *See* Rozenberg P.
Vecchiarino S. *See* Del Bene R.
Venkataraman G, Mundy A, Craft I. Successful intra-cytoplasmic sperm injection treatments in identical twin brothers with severe oligozoospermia 434
Verdenik I. *See* Pajntar M.
Vergani P. *See* Locatelli A.
Verloove-Vanhorick SP. *See* Graafmans WC.
Vermeulen GM, van Zwet AA, Bruinse HW. Changes in the vaginal flora after two percent clindamycin vaginal cream in women at high risk of spontaneous preterm birth 697
Vervest HAM. *See* Brölman HAM.
Vessey M. *See* Doll H.
Veveris-Lowe T. *See* Wallace EM.
Vieira M. *See* Chapron C.
Vierhout ME. *See* de Leeuw JW.
Vildé F. *See* Lécuru F.
Villar J. *See* Merchant KM.
Ville Y. *See* Rozenberg P.
Vlietinck R. *See* Loos RJF.
Vodusek DB. *See* Peschers UM.
Vollebregt KC, Boer K, Mathura KR, de Graaff JC, Ubbink DTh, Ince C. Impaired vascular function in women with pre-eclampsia observed with orthogonal polarisation spectral imaging 1148
Voorbij HAM. *See* Wijnberger LDE.
Vuillard E. *See* Burc L.
Vuopala S. *See* Kurkinen-Räty M.
Vuorma S. *See* Hurskainen R.

Walker ID. *See* Ellison J.

Walker J. *See* Dundas KC.
Walker P. *See* Freeman-Wang T.
Walkinshaw SA. *See* Roberts D.
Walkinshaw SA. *See* Tincello D.
Wallace EM, D'Antona D, Veveris-Lowe T, Crossley JA, Barnard R. Growth hormone binding protein in normal and aneuploid pregnancy, paradoxical decrease in trisomy 18 701
Wallace EM. *See* Burrows RF.
Wallace EM. *See* Schneider-Kolsky M.
Wallenburg HCS. *See* de Leeuw JW.
Walraven G. *See* Scherf C.
Walsh M. *See* Zawislak A.
Wang CC. *See* Rogers MS.
Wang P-H, Lee W-L, Juang C-M, Tsai W-Y, Chao H-T, Yuan C-C. Excision of mature teratoma using culdotomy, with and without laparoscopy, a prospective randomised trial 91
Watanabe S. *See* Suzuki S.
Watson L. *See* Lumley J.
Watson M. *See* Lumley J.
Watticz A. *See* Cohen SB.
Webb JB. *See* Sabatini L.
Weekes ARL, McMillan L, Jeyarajah AR. Laparoscopic and vaginal surgery in the management of early stage cervical cancer 550
Weekes ARL. *See* Jeyarajan AR.
Weil A. *See* Faltin DL.
Weiner DH. *See* Morrison CS.
Weir P. *See* Murphy DJ.
Weis Potters AE. *See* Wijma J.
Wells M. *See* Hutson RC.
West D. *See* Kiserud T.
Wheeler T. *See* Carpenter T.
Whitby E, Paley MN, Davies N, Sprigg A, Griffiths PD. Ultrafast magnetic resonance imaging of central nervous system abnormalities in utero in the second and third trimester of pregnancy, comparison with ultrasound 519
White S. *See* Tincello D.
Whittle M. Down's syndrome screening, where to now 559
Widjaja E. *See* Byrom J.
Wijma J, Weis Potters AE, de Wolf BTHM, Tinga DJ, Aarnoudese JG. Anatomical and functional changes in the lower urinary tract during pregnancy 726
Wijnberger LDE, Huisjes AJM, Noorbij HAM, Franx A, Bruinse HW, Mol BWJ. The accuracy of lamellar body count and lecithin sphingomyelin ratio in the prediction of neonatal respiratory distress syndrome, a meta-analysis 583
Wikman M. *See* Danielsson I.
Wilkinson EJ. *See* Jones RW.
Williams A. *See* Drake A.
Williams B. Decision to delivery for assisted vaginal vertex delivery 132
Williamson C. *See* Kenyon AP.
Wills J. *See* Homer CSE.
Wilson AP. *See* Gillespie AM.
Wilson J. *See* Morris M.
Wilson P. *See* Larkin J.
Wilson PD. *See* MacArthur C.
Wilson RJ, Allen MJ, Nandi M, Giles H, Thornton S. Spontaneous contractions of myometrium from humans, non-human primates and rodents are sensitive to selective oxytocin receptor antagonism *in vitro* 960
Windrim R. *See* Allen VM.
Wing-KinWong G. *See* Tam W-H.
Woelfer B. *See* Banerjee S.
Wolters M. *See* Koelbl H.
Wong te Fong LF. *See* Siddiqui GK.
Wong te Fong LF, Siddiqui GK, Rolfe KJ, Gammell SJ, Crow JC, Reid WMN, MacLean AB, Perrett CW. Angiogenesis in primary epithelial ovarian carcinomas 555
Woodhouse CRJ. *See* Shepherd JH.
Woolas R. *See* Drake A.
Woolas R. *See* Nieto J.
Woolas RP. *See* Shepherd JH.
Wright EM. *See* Ogueh O.
Wright J. Decision to delivery for assisted vaginal vertex delivery 131
Wu Wen S. *See* Holmes P.

Yabushita H. *See* Matsushita M.
Yamada H. *See* Yamamoto R.
Yamamoto K. *See* Tsuda H.
Yamamoto R, Azuma M, Kishida T, Yamada H, Satomura S, Fujimoto S. Total alpha-fetoprotein and *Lens culinaris* agglutinin-reactive alpha-fetoprotein in fetal chromosomal abnormalities 1154
Yan P. *See* Rogers MS.
Yap S, Barry-Kinsella C, Naughten ER. Maternal pyridoxine nonresponsive homocystinuria, role of dietary treatment and anticoagulation 425
Yliskoski M. *See* Hurskainen R.
Yoong WC. *See* Simons AM.
Young MPA. *See* Radhakrishnan S.
Young P. *See* Johanson R.
Yuan C-C. *See* Wang P-H.
Yvelin N. *See* Lepercq J.

Zachara BA, Dobrzynski W, Trafikowska U, Szymanski W. Blood selenium and glutathione peroxidases in miscarriage 244
Zara F. *See* Spinillo A.
Zatik J, Major T, Aranyosi J, Molnar C, Limburg M, Fülesdi B. Assessment of cerebral hemodynamics during roll over test in healthy pregnant women and those with pre-eclampsia 353
Zawilski W. *See* Bagratee JS.
Zawislak A, Price JH, Dobbs SP, Walsh M. Factors influencing the outcome in vulval intraepithelial neoplasia 556
Ziaei S, Faghihzadeh S, Sohrabvand F, Lamyian M, Emamgholy T. Randomised placebo-controlled trial to determine the effect of vitamin E in treatment of primary dysmenorrhoea 1181
Zini M. *See* Natale V.
Zocchi G. *See* Salvatore S.
Zusterzeel PLM, Morsche R, Raijmakers MTM, Peters WHM, Steegers EAP. Gilbert's syndrome is not associated with HELLP syndrome 1003

# Subject Index


Abortion
- antibiotic prophylaxis to prevent post-abortal upper genital tract infection in women with bacterial vaginosis, randomised controlled trial 396
- efficacy of mifepristone followed on the same day by misoprostol for early termination of pregnancy, report of a randomised trial 469
- impact of induced abortions on subsequent pregnancy outcome, 1995 French national perinatal survey 1036
- insertion of an intrauterine contraceptive device after induced or spontaneous abortion, review of evidence 1168
- lowering doses of mifepristone and gemeprost for early abortion, randomised controlled trial 738
- *see also* Miscarriage

Acetylcholine, microvascular vasodilator response to acetylcholine is increased in women with pre-eclampsia 610

Activin, activin $\beta_A$-subunit and activin receptors in human myometrium at term and during labour 869

β-Adrenergic agonists
- beta-3 versus beta-2 adrenergic agonists and preterm labour, in vitro uterine relaxation effects 605
- effectiveness and safety of oxytocin antagonist atosiban versus beta-adrenergic agonists in treatment of preterm labour 133

Alphafetoprotein, total alpha-fetoprotein and *Lens culinaris* agglutinin-reactive alpha-fetoprotein in fetal chromosomal abnormalities 1154

Altitude, blood gases in pregnancy at sea level and at high altitude 980

Amniocentesis, risk factors predisposing to fetal loss following second trimester amniocentesis 1053

Amniotic sac, herniation of amniotic sac into bladder through vesico-uterine fistula in 32nd week of pregnancy 1300

Anaesthesia
- epidural analgesia for labour and instrumental vaginal delivery, anaesthetic problem with obstetric solution 1
- general
  - epidural compared with general anaesthesia for caesarean delivery in conscious women with eclampsia 378
  - maternal anaphylactic reaction to general anaesthetic at emergency caesarean section for fetal bradycardia 539

Analgesia, effect of intrauterine application of two percent lignocaine gel on pain perception during Vabra endometrial sampling, randomised double-blind, placebo-controlled trial 87

Androgens, endometrioid tumour of ovary presenting with hyperandrogenism, secondary polycythaemia and hypertension 330

Angiogenesis
- angiogenesis in primary epithelial ovarian carcinomas 555
- angiogenesis and reproduction 777

Antenatal care
- collaboration in maternity care, randomised controlled trial comparing community-based continuity of care with standard hospital care 16
- computerised antenatal fetal heart rate recordings between 24 and 28 weeks of gestation 858
- expectant management of early pregnancies of unknown location, prospective evaluation of methods to predict spontaneous resolution of pregnancy 158
- prenatal management of women who have partial Rh (D) antigen 985
- randomised controlled trial of flexibility in routine antenatal care 776
- women's views on the practice of prenatal perineal massage 499

Antenatal counselling, lay persons' understanding of risk of Down's syndrome in genetic counselling 649

Antenatal screening
- age related detection and false positive rates when screening for Down's syndrome in first trimester using fetal nuchal translucency and maternal serum free βhCG and PAPP-A 1043
- Down's syndrome screening, where to now 559
- evaluation of a clinical test, I: assessment of reliability 562
- evaluation of a clinical test, II: assessment of validity 568
- false positive serum biochemical screening and subsequent fetal loss in women less than 35 years of age 589
- fetal magnetoencephalography, non-invasive method for assessment of fetal neuronal maturation 1291
- oesophageal and duodenal atresia suspected at 12 week booking scan 225
- screening for HIV, hepatitis B and C infection in a population seeking assisted reproduction in an inner London hospital 654
- screening with uterine Doppler in low risk pregnant women followed by low dose aspirin in women with abnormal results, multicentre randomised controlled trial 510
- use of nuchal translucency measurement and second trimester biochemical markers in screening for Down's syndrome 1047

Antibiotics
- antibiotic prophylaxis to prevent post-abortal upper genital tract infection in women with bacterial vaginosis, randomised controlled trial 396
- changes in vaginal flora after two percent clindamycin vaginal cream in women at high risk of spontaneous preterm birth 697
- randomised controlled trial of antibiotic prophylaxis in elective caesarean delivery 143

Anticoagulation, thromboembolism in pregnant women with mechanical prosthetic heart valves anticoagulated with low molecular weight heparin 327

Anticonvulsants, comparison of fetal behaviour in term fetuses exposed to anticonvulsant medication with unexposed controls 1159

Aspirin, screening with uterine Doppler in low risk pregnant women followed by low dose aspirin in women with abnormal results, multicentre randomised controlled trial 510

Atosiban
- atosiban for primary prevention of preterm labour 886
- effectiveness and safety of oxytocin antagonist atosiban versus beta-adreneric agonists in treatment of preterm labour 133

Bernard-Soulier syndrome, menorrhagia, menorrhagia due to Bernard-Soulier syndrome and its successful treatment by thermal balloon endometrial ablation 667

Birthweight
- birthweight in liveborn twins, influence of umbilical cord insertion and fusion of placentas 943
- comparability of published perinatal mortality rates in Western Europe, quantitative impact of differences in gestational age and birthweight criteria 1237
- intrauterine growth retardation, perinatal outcome in SGA births defined by customised versus population-based birthweight standards 830
- maternal height and newborn size relative to risk of intrapartum caesarean delivery and perinatal distress 689
- *see also* Fetus, intrauterine growth retardation

Bladder
- bladder neck mobility in continent nulliparous women 320
- comparison of bladder neck movement and elevation after tension-free vaginal tape and colposuspension 776
- herniation of amniotic sac into bladder through vesico-uterine fistula in 32nd week of pregnancy 1300
- use of portable bladder scanner to reduce incidence of bladder catheterisation prior to laparoscopy 423
- *see also* Urinary tract

Bone marrow transplantation, haematocolpos following allogenic bone marrow transplantation for chronic myeloid leukaemia 1309
Bone mineral density, overview of relationship between progestogen-only contraceptives and bone mineral density 1214
Bone turnover, biochemical markers of maternal bone turnover are elevated in pre-eclampsia 258
Breast cancer, breast and pelvic examination in women taking hormone replacement therapy 1201
Breast examination, breast and pelvic examination in women taking hormone replacement therapy 1201

Caesarean section
accidental delivery through a vaginal incision (laparoelytrotomy) during caesarean section in the second stage of labour 659
epidural compared with general anaesthesia for caesarean delivery in conscious women with eclampsia 378
estimation of expected caesarean section rate taking into account case mix of a maternity hospital, analysis from AUDIPOG Sentinelle Network 919
maternal anaphylactic reaction to general anaesthetic at emergency caesarean section for fetal bradycardia 539
maternal height and newborn size relative to risk of intrapartum caesarean delivery and perinatal distress 689
randomised controlled trial of antibiotic prophylaxis in elective caesarean delivery 143
randomised double-blind placebo controlled trial of low molecular weight heparin as prophylaxis in preventing venous thrombotic events after caesarean section, pilot study 835
relationship between cervical dilatation at initial presentation in labour and subsequent intervention 1120
trends in risk factors for caesarean sections in France between 1981 and 1995, lessons for reducing rates in future 48
Cancer
age at menarche and age at menopause in relation to hepatocellular carcinoma in women 291
breast and pelvic examination in women taking hormone replacement therapy 1201
cervix
anxiety levels in women attending colposcopy clinics for treatment for cervical intraepithelial neoplasia, randomised trial of written and video information 482
are vault smears useful in detection of cervical cancer recurrence 554
cisplatin in cervical carcinoma 557
does histological incomplete excision of cervical intraepithelial neoplasia following large loop excision of the transformation zone increase recurrence rates, six year cytological follow up 771
follow up after LLETZ, could schedules be modified according to risk of recurrence 1025
frequency of significant pathology in women attending a general gynaecological service for postcoital bleeding 103
human papillomavirus and cervical cancer, where are we now 1204
hysterectomy prevalence and adjusted cervical and uterine cancer rates in England and Wales 388
is conservative treatment for adenocarcinoma *in situ* of the cervix safe 1184
laparoscopic and vaginal surgery in management of early stage cervical cancer 550
malignant rhabdoid tumour of uterine cervix 120
papillomavirus infection and glandular neoplasia of cervix 556
prevalence of human papillomavirus infection and cervical neoplasia in rural Gambia, West Africa 553
radical trachelectomy in early stage carcinoma of cervix, outcome as judged by recurrence and fertility rates 885
urological, bowel and psychosexual morbidity of women more than seven years after treatment for stage IB IIA carcinoma of cervix 547
endometrium
accuracy of frozen section for operative management of endometrial cancer 798
influence of omental biopsy on adjuvant treatment field in clinical stage I endometrial carcinoma 555
intraoperative estimation and preoperative histology in endometrial cancer 554
laparoscopic approach for carcinoma of endometrium, systematic review and proposal for randomised controlled trial 552
laparoscopic management of endometrial cancer in East Anglia 547
loss of expression of mismatch repair proteins in endometrial cancer 555
staging of endometrial cancer in Scotland 1996-7 550
hereditary non-polyposis colorectal cancer syndrome, combined risk of gastrointestinal and gynaecological cancer 671
ovary
angiogenesis in primary epithelial ovarian carcinomas 555
can preoperative computed tomography predict resectability of ovarian carcinoma at primary laparotomy 549
cerebral metastasis from primary epithelial ovarian cancer (EOC) 556
clinical application of dual head gamma camera with coincidence detection in 20 women with suspected ovarian cancer 1229
comparison of frequency of detection of MAGE-1 expression in ovarian tumours by reverse transcription polymerase chain reaction (RTPCR) and immunohistochemistry 551
dysgerminoma presenting with hypercalcaemia 1302
endometrioid tumour of ovary presenting with hyperandrogenism, secondary polycythaemia and hypertension 330
expression of vascular endothelial growth factor A (VEGF-A) in metastatic epithelial ovarian cancer is of prognostic significance 549
impact of pneumoperitoneum on visceral metastasis rate and survival, results in two ovarian cancer models in rats 733
increased levels of interleukin-10 and transforming growth factor-β in plasma and ascitic fluid of patients with advancer ovarian cancer 804
Influence of peritoneal factors on port-site metastases in xenograft ovarian cancer model 809
occurrence and treatment of isolated abdominal wall recurrence in early stage ovarian cancer 550
p53 protein expression in putative precursor lesions of epithelial ovarian cancer and its relationship to mutations in p53 gene 551
population-based study of early onset ovarian cancer 549
potential impact of prophylactic oophorectomy on incidence of ovarian cancer at District General Hospital 553
requirement for expert histopathological assessment of ovarian carcinoma and borderline tumours 548
screening for familial ovarian cancer, practical approach 554
transvaginal ultrasonography as screening tool for ovarian cancer 552
resection of recurrent bulky gynaecological side wall malignancy with iliac vessel reconstruction 1305
surgery, conservative anterior exenteration with preservation of fertility potential and continent urinary diversion 117
uterus, hysterectomy prevalence and adjusted cervical and uterine cancer rates in England and Wales 388
vulva
does being blood group O protect you from vulva disease 557
factors influencing outcome in vulval intraepithelial neoplasia 556
sentinel lymph node detection in locally recurrent carcinoma of vulva 766

vulval lichen planus, progression of pseudoepitheliomatous hyperplasia to invasive vulval carcinomas 665
Cell adhesion molecules, maternal endothelial soluble cell adhesion molecules with isolated small for gestational age fetuses, comparison with pre-eclampsia 1277
Cerebral haemodynamics, assessment of cerebral hemodynamics during roll over test in healthy pregnant women and those with pre-eclampsia 353
Cerebral perfusion pressure, association of cerebral perfusion pressure with headache in women with pre-eclampsia 126
Cervix
cancer
anxiety levels in women attending colposcopy clinics for treatment for cervical intraepithelial neoplasia, randomised trial of written and video information 482
are vault smears useful in detection of cervical cancer recurrence 554
cisplatin in cervical carcinoma 557
does histological incomplete excision of cervical intraepithelial neoplasia following large loop excision of the transformation zone increase recurrence rates, six year cytological follow up 771
follow up after LLETZ, could schedules be modified according to risk of recurrence 1025
frequency of significant pathology in women attending a general gynaecological service for postcoital bleeding 103
human papillomavirus and cervical cancer, where are we now 1204
hysterectomy prevalence and adjusted cervical and uterine cancer rates in England and Wales 388
is conservative treatment for adenocarcinoma *in situ* of the cervix safe 1184
laparoscopic and vaginal surgery in management of early stage cervical cancer 550
malignant rhabdoid tumour of uterine cervix 120
papillomavirus infection and glandular neoplasia of cervix 556
prevalence of human papillomavirus infection and cervical neoplasia in rural Gambia, West Africa 553
radical trachelectomy in early stage carcinoma of cervix, outcome as judged by recurrence and fertility rates 885
urological, bowel and psychosexual morbidity of women more than seven years after treatment for stage IB IIA carcinoma of cervix 547
colposcopy, anxiety levels in women attending colposcopy clinics for treatment for cervical intraepithelial neoplasia, randomised trial of written and video information 482
combination of cervical interleukin-6 and -8, phosphorylated insulin-like growth factor-binding protein-1 and transvaginal cervical ultrasonography in assessment of risk of preterm birth 875
comparison of isosorbide mononitrate, misoprostol and combination therapy for first trimester pre-operative cervical ripening, randomised controlled trial 276
conservative vaginal surgery for cervical pregnancy 888
contribution of cervical smooth muscle activity to duration of latent and active phases of labour 533
effect of stopping smoking on cervical Langerhans' cells and lymphocytes 295
factors associated with nucleic acids related to human immunodeficiency virus type 1 in cervico-vaginal secretions 634
osseous metaplasia of cervical epithelium 333
relationship between cervical dilatation at initial presentation in labour and subsequent intervention 1120
successful cerclage at advanced cervical dilatation in second trimester 1005
successful pregnancy following transabdominal cervical cerclage for cervical hypoplasia 1111
Chorionic villus sampling, aneuploidy screening in direct chorionic villus samples by fluorescence in situ hybridisation, use of commercial probes in clinical setting 215
Chromosome abnormalities
aneuploidy screening in direct chorionic villus samples by fluorescence in situ hybridisation, use of commercial probes in clinical setting 215
growth hormone binding protein in normal and aneuploid pregnancy, paradoxical decrease in trisomy 18 701
Premature ovarian failure due to unbalanced translocation on X chromosome 230
role of comparative genomic hybridisation in prenatal diagnosis 642
total alpha-fetoprotein and *Lens culinaris* agglutinin-reactive alpha-fetoprotein in fetal chromosomal abnormalities 1154
wide scope prenatal diagnosis at Kuopio University Hospital 1997-1998, integration of gene tests and fetal karyotyping 505
*see also* Down's syndrome
Cisplatin, cisplatin in cervical carcinoma 557
Clindamycin, changes in vaginal flora after two percent clindamycin vaginal cream in women at high risk of spontaneous preterm birth 697
Clinical tests
evaluation of a clinical test, I: assessment of reliability 562
evaluation of a clinical test, II: assessment of validity 568
Clinical trials
antibiotic prophylaxis to prevent post-abortal upper genital tract infection in women with bacterial vaginosis, randomised controlled trial 396
collaboration in maternity care, randomised controlled trial comparing community-based continuity of care with standard hospital care 16
comparison of isosorbide mononitrate, misoprostol and combination therapy for first trimester pre-operative cervical ripening, randomised controlled trial 276
comparison of oral and vaginal misoprostol for induction of labour at term, randomised trial 23
double-blind placebo controlled randomised trial of misoprostol and oxytocin in management of third stage of labour 338
effect of intrauterine application of two percent lignocaine gel on pain perception during Vabra endometrial sampling, randomised double-blind, placebo-controlled trial 87
efficacy of mifepristone followed on the same day by misoprostol for early termination of pregnancy, report of a randomised trial 469
excision of mature teratome using culdotomy, with and without laparoscopy, prospective randomised trial 91
induction of labour with a viable infant, randomised clinical trial comparing intravaginal misoprostol and intravaginal dinoprostone 1255
laparoscopic approach for carcinoma of endometrium, systematic review and proposal for randomised controlled trial 552
management of menorrhagia, SMART study (Satisfaction with Mirena and Ablation, Randomised Trial) 773
misoprostol third stage of labour study, randomised controlled comparison between orally administered misoprostol and standard management 338
premenopausal women affected by sexual arousal disorder treated with sildenafil, double-blind, cross-over, placebo-controlled study 623
randomised comparison of Burch colposuspension versus anterior colporrhaphy in women with stress urinary incontinence and anterior vaginal wall prolapse 128
randomised controlled pilot study of management of gestational impaired glucose tolerance 769
randomised controlled trial of antibiotic prophylaxis in elective caesarean delivery 143
randomised controlled trial of epidural compared with non-epidural analgesia in labour 27

randomised controlled trial of flexibility in routine antenatal care 776
randomised double-blind placebo controlled trial of low molecular weight heparin as prophylaxis in preventing venous thrombotic events after caesarean section, pilot study 835
randomised, double-blind, placebo-controlled trial of corticosteroids for treatment of hyperemesis gravidarum 9
randomised placebo-controlled trial to determine effect of vitamin E in treatment of primary dysmenorrhoea 1181
randomised trial comparing single dose systemic methotrexate and laparoscopic surgery for treatment of unruptured tubal pregnancy 192
screening with uterine Doppler in low risk pregnant women followed by low dose aspirin in women with abnormal results, multicentre randomised controlled trial 510
titrated oral misoprostol solution for induction of labour, multicentre, randomised trial 952
women's views on the practice of prenatal perineal massage 499
*see also* Population studies
Colporrhaphy, randomised comparison of Burch colposuspension versus anterior colporrhaphy in women with stress urinary incontinence and anterior vaginal wall prolapse 128
Colposcopy *see* Cervix
Colposuspension
comparison of bladder neck movement and elevation after tension-free vaginal tape and colposuspension 776
comparison of objective and subjective outcomes of colposuspension for stress incontinence in women 408
fasciitis, rare complication of Burch colposuspension 227
randomised comparison of Burch colposuspension versus anterior colporrhaphy in women with stress urinary incontinence and anterior vaginal wall prolapse 128
Community-based care, collaboration in maternity care, randomised controlled trial comparing community-based continuity of care with standard hospital care 16
Comparative genomic hybridisation, role of comparative genomic hybridisation in prenatal diagnosis 642
Contraception
comparative study of effects of a progestogen-only pill containing desogestrel and an intrauterine contraceptive device in lactating women 1174
effectiveness of levonorgestrel-releasing intrauterine system in menorrhagia, systematic review 74
insertion of an intrauterine contraceptive device after induced or spontaneous abortion, review of evidence 1168
is the intrauterine device appropriate contraception for HIV-1-infected women 784
levonorgestrel-releasing (20 mcg day) intrauterine systems (Mirena) compared with other methods of reversible contraceptives 770
long-acting progestogen-only contraceptive injections, update 3
overview of relationship between progestogen-only contraceptives and bone mineral density 1214
return of fertility in nulliparous women after discontinuation of the intrauterine device, comparison with women discontinuing other methods of contraception 304
Corticosteroids, randomised, double-blind, placebo-controlled trial of corticosteroids for treatment of hyperemesis gravidarum 9
Corticotrophin-releasing hormone, rate of rise in maternal plasma corticotrophin-releasing hormone and its relation to gestational length 527
Cost
economic evaluation of single dose systemic methotrexate and laparoscopic surgery for treatment of unruptured ectopic pregnancy 204
systematic review of economic aspects of alternative modes of delivery 149
Culdotomy, excision of mature teratome using culdotomy, with and without laparoscopy, prospective randomised trial 91
Cyclo-oxygenase, can a cyclo-oxygenase type-2 selective tocolytic agent avoid fetal side effects of indomethacin 325
Cytokines, relationship between leptin and inflammatory cytokines in women with pre-eclampsia 1272

Deep vein thrombosis *see* Thromboembolism
Desogestrel, comparative study of effects of a progestogen-only pill containing desogestrel and an intrauterine contraceptive device in lactating women 1174
Diabetes mellitus
computerised analysis of fetal heart rate recordings in maternal type I diabetes mellitus 853
gestational *see* Diabetic pregnancy
Diabetic pregnancy
predictive value of serum 1,5-anhydro-D-glucitol in pregnancies at increased risk of gestational diabetes mellitus and gestational impaired glucose tolerance 754
prevalence and features of pancreatic islet cell autoimmunity in wmen with gestational diabetes from different ethnic groups 716
Dinoprostone, induction of labour with a viable infant, randomised clinical trial comparing intravaginal misoprostol and intravaginal dinoprostone 1255
Down's syndrome
age related detection and false positive rates when screening for Down's syndrome in first trimester using fetal nuchal translucency and maternal serum free βhCG and PAPP-A 1043
Down's syndrome screening, where to now 559
false positive serum biochemical screening and subsequent fetal loss in women less than 35 yers of age 589
lay persons' understanding of risk of Down's syndrome in genetic counselling 649
use of nuchal translucency measurement and second trimester biochemical markers in screening for Down's syndrome 1047
Dyslipidaemia, dyslipidaemia in early second trimester is mainly a feature of women with early onset pre-eclampsia 1081

Eclampsia
epidural compared with general anaesthesia for caesarean delivery in conscious women with eclampsia 378
*see also* Hypertensive pregnancy; Pre-eclampsia
Ectopic pregnancy
economic evaluation of single dose systemic methotrexate and laparoscopic surgery for treatment of unruptured ectopic pregnancy 204
fertility following radical, conservative-surgical or medical treatment for tubal pregnancy, a population-based study 130
laparoscopic treatment of ectopic pregnancy resulting from intrauterine transmigration 545
randomised trial comparing single dose systemic methotrexate and laparoscopic surgery for treatment of unruptured tubal pregnancy 192
Elytrotomy, second stage, accidental delivery through a vaginal incision (laparoelytrotomy) during caesarean section in the second stage of labour 659
Endometriosis
does deep endometriosis infiltrating the uterosacral ligaments present an asymmetric lateral distribution 1021
malignant transformation of residual endometriosis in women on unopposed oestrogen hormone replacement therapy 1106
ureteric obstruction with mucocoele of appendix due to endometriosis 124
*see also* Endometrium
Endometrium
cancer

accuracy of frozen section for operative management of endometrial cancer 798
influence of omental biopsy on adjuvant treatment field in clinical stage I endometrial carcinoma 555
intraoperative estimation and preoperative histology in endometrial cancer 554
laparoscopic approach for carcinoma of endometrium, systematic review and proposal for randomised controlled trial 552
laparoscopic mnagement of endometrial cancer in East Anglia 547
loss of expression of mismatch repair proteins in endometrial cancer 555
staging of endometrial cancer in Scotland 1996-7 550
effect of intrauterine application of two percent lignocaine gel on pain perception during Vabra endometrial sampling, randomised double-blind, placebo-controlled trial 87
endometrial laser intrauterine thermotherapy for treatment of dysfunctional uterine bleeding, first British experience 749
five-year follow up of women randomised to medical management or transcervical resection of the endometrium for heavy menstrual loss, clinical and quality of life outcomes 1222
menorrhagia, menorrhagia due to Bernard-Soulier syndrome and its successful treatment by thermal balloon endometrial ablation 667
*see also* Endometriosis

Enoxaparin
use of enoxaparin in pregnant woman with mechanical heart valve prosthesis 757
venous thromboembolism during pregnancy, retrospective study of enoxaparin safety in 624 pregnancies 1134

Epidural analgesia
epidural analgesia for labour and instrumental vaginal delivery, anaesthetic problem with obstetric solution 1
epidural compared with general anaesthesia for caesarean delivery in conscious women with eclampsia 378
randomised controlled trial of epidural compared with non-epidural analgesia in labour 27

Erythrocyte sedimentation rate, pregnancy and erythrocyte sedimentation rate 1164

External cephalic version, levels of cord blood thyroid stimulating hormone after external cephalic version 1076

Factor V Leiden mutation
Doppler, maternal carriership of factor V Leiden associated with pathological uterine artery Doppler measurements during pregnancy 1103
factor V Leiden and G20210A prothrombin mutations are risk factors for very early recurrent miscarriage 1251

Familial Mediterranean fever, familial Mediterranean fever and menstruation 403

Fasciitis, rare complication of Burch colposuspension 227

Fertility
fertility following radical, conservative-surgical or medical treatment for tubal pregnancy, a population-based study 130
radical trachelectomy in early stage carcinoma of cervix, outcome as judged by recurrence and fertility rates 885
return of fertility in nulliparous women after discontinuation of the intrauterine device, comparison with women discontinuing other methods of contraception 304

Fetus
abnormalities
ex-utero intrapartum treatment for cervical teratoma 429
fetal lung volume measurements by magnetic resonance imaging in congenital diaphragmatic hernia 863
monopolar thermocoagulation in acardiac twinning 1000
oesophageal and duodenal atresia suspected at 12 week booking scan 225
prenatal diagnosis and follow up of biliary atresia 1108
prenatal diagnosis of Wolf-Parkinson-White syndrome by fetal magnetocardiography 335
prenatal hypoxic ischaemic-encephalopathy leading to microcephaly in sickle cell pregnancy with recovery from 'terminal CTG' 219
total alpha-fetoprotein and *Lens culinaris* agglutinin-reactive alpha-fetoprotein in fetal chromosomal abnormalities 1154
ultrafast magnetic resonance imaging of central nervous system abnormalities in utero in second and third trimester of pregnancy, comparison with ultrasound 519
behaviour, comparison of fetal behaviour in term fetuses exposed to anticonvulsant medication with unexposed controls 1159
can a cyclo-oxygenase type-2 selective tocolytic agent avoid fetal side effects of indomethacin 325
development of high venous velocity at fetal umbilical ring during gestational weeks 11-19 248
fetal bone metabolism in normal and rhesus isoimmunised pregnancies 986
fetal and maternal lactate increase during active second stage of labour 263
heart rate
computerised analysis of fetal heart rate recordings in maternal type I diabetes mellitus 853
computerised analysis of fetal heart rate and relation to acidaemia at delivery 848
computerised antenatal fetal heart rate recordings between 24 and 28 weeks of gestation 858
fetal cardiac isovolumetric contraction time in normal pregnancy and in pregnancy with placental vascular disease, first clinical report using new ultrasound technique 179
maternal anaphylactic reaction to general anaesthetic at emergency caesarean section for fetal bradycardia 539
intrauterine death, obstructive sleep apnoea and fetal death, successful treatment with continuous positive airway pressure 543
intrauterine growth retardation
abnormal Doppler velocimetry and blood flow volume in middle cerebral artery in very severe intrauterine growth restriction, is occurrence of reversal of compensatory flow too late 973
comparability of published perinatal mortality rates in Western Europe, quantitative impact of differences in gestational age and birthweight criteria 1237
maternal endothelial soluble cell adhesion molecules with isolated small for gestational age fetuses, comparison with pre-eclampsia 1277
perinatal outcome in SGA births defined by customised versus population-based birthweight standards 830
karyotyping, wide scope prenatal diagnosis at Kuopio University Hospital 1997-1998, integration of gene tests and fetal karyotyping 505
mortality
does the fetus lose weight *in utero* following fetal death, a study in preterm infants 1113
risk factors predisposing to fetal loss following second trimester amniocentesis 1053
nuchal translucency
age related detection and false positive rates when screening for Down's syndrome in first trimester using fetal nuchal translucency and maternal serum free βhCG and PAPP-A 1043
use of nuchal translucency measurement and second trimester biochemical markers in screening for Down's syndrome 1047
oxidative stress in fetal lamb brain following intermittent umbilical cord occlusion, path analysis 1283

Fluorescence in situ hybridisation, aneuploidy screening in direct chorionic villus samples by fluorescence in situ hybridisation, use of commercial probes in clinical setting 215

Fluoxetine, efficacy of fluoxetine in improving physical symptoms associated with premenstrual dysphoric disorder 462

Folate
modelling potential impact of population-wide periconceptional folate multivitamin supplementation on multiple births 937
relationship between increased folate catabolism and increased requirement for folate in pregnancy 772

G20210A prothrombin mutation, factor V Leiden and G20210A prothrombin mutations are risk factors for very early recurrent miscarriage 1251
Gamma camera, clinical application of dual head gamma camera with coincidence detection in 20 women with suspected ovarian cancer 1229
Gemeprost, lowering doses of mifepristone and gemeprost for early abortion, randomised controlled trial 738
Genital mutilation
female genital mutilation, analysis of first twelve months of south-east London specialist clinic 186
use of intrapartum defibulation in women with female genital mutilation 949
Gilbert's syndrome, Gilbert's syndrome is not associated with HELLP syndrome 1003
Glucose
maternal plasma glucose at high altitude 254
predictive value of serum 1,5-anhydro-D-glucitol in pregnancies at increased risk of gestational diabetes mellitus and gestational impaired glucose tolerance 754
randomised controlled pilot study of management of gestational impaired glucose tolerance 769
Glutathione peroxidase, blood selenium and glutathione peroxidases in miscarriage 244
Glyceryl trinitrate, oxytocics reverse tocolytic effect of glyceryl trinitrate on human uterus 164
Gonadotrophin-releasing hormone agonists, oestrogen deficiency causes DNA damage in uterine leiomyoma cells, possible mechanism for shrinkage of fibroids by GnRH agonists 95
Growth hormone binding protein, growth hormone binding protein in normal and aneuploid pregnancy, paradoxical decrease in trisomy 18 701
Gynaecological practice
declining trend in major gynaecological surgery in The Netherlands during 1991-1998, is there an impact on surgical skills and innovative ability 743
effects of gynaecological education on interpersonal communication skills 485
frequency of significant pathology in women attending a general gynaecological service for postcoital bleeding 103
guidelines in gynaecology, evaluation in menorrhagia and in urinary incontinence 129
qualitative research in obstetrics and gynaecology 233
quantitative and qualitative assessment of women's experience of a one-stop menstrual clinic in comparison with traditional gynaecology clinics 993

Haematocolpos, following allogenic bone marrow transplantation for chronic myeloid leukaemia 1309
Haemorrhage
evaluation of quality of care for severe obstetrical haemorrhage in three French regions 898
postpartum *see* Puerperium
Heart
fetal heart rate *see* Fetus, heart rate
use of enoxaparin in pregnant woman with mechanical heart valve prosthesis 757
HELLP syndrome, Gilbert's syndrome is not associated with HELLP syndrome 1003
Heparin
randomised double-blind placebo controlled trial of low molecular weight heparin as prophylaxis in preventing venous thrombotic events after caesarean section, pilot study 835
successful use of heparinoids in a pregnancy complicated by allergy to heparin 1011
thromboembolism in pregnant women with mechanical prosthetic heart valves anticoagulated with low molecular weight heparin 327
Hepatitis, screening for HIV, hepatitis B and C infection in a population seeking assisted reproduction in an inner London hospital 654
Hepatitis C
hepatitis C virus among high and low risk pregnant women in Dundee, unlinked anonymous testing 365
mode of delivery, effects of mode of delivery and infant feeding on risk of mother-to-child transmission of hepatitis C virus 371
High altitude, maternal plasma glucose at high altitude 254
Homocystinuria, maternal pyridoxine non-responsive homocystinuria, role of dietary treatment and anticoagulation 425
Hormone replacement therapy
breast and pelvic examination in women taking hormone replacement therapy 1201
differences in hormone replacement therapy use by social class, region and psychological symptoms 269
exploration of cyclical changes in memory and mood in postmenopausal women taking sequential combined oestrogen and progestogen preparations 286
induced myeloperoxidase activity and related superoxide inhibition during hormone replacement therapy 473
malignant transformation of residual endometriosis in women on unopposed oestrogen hormone replacement therapy 1106
Hospital care, collaboration in maternity care, randomised controlled trial comparing community-based continuity of care with standard hospital care 16
Human chorionic gonadotrophin
age related detection and false positive rates when screening for Down's syndrome in first trimester using fetal nuchal translucency and maternal serum free βhCG and PAPP-A 1043
human chorionic gonadotrophin inhibition of pregnant human myometrial contractility 704
Human immunodeficiency virus
association between maternal HIV-1 infection and pregnancy outcomes in Dar es Salaam, Tanzania 1125
factors associated with nucleic acids related to human immunodeficiency virus type 1 in cervico-vaginal secretions 634
is the intrauterine device appropriate contraception for HIV-1-infected women 784
screening for HIV, hepatitis B and C infection in a population seeking assisted reproduction in an inner London hospital 654
Human papillomavirus
human papillomavirus and cervical cancer, where are we now 1204
papillomavirus infection and glandular neoplasia of cervix 556
prevalence of human papillomavirus infection and cervical neoplasia in rural Gambia, West Africa 553
Hypercalcaemia, ovarian dysgerminoma presenting with hypercalcaemia 1302
Hyperemesis gravidarum, randomised, double-blind, placebo-controlled trial of corticosteroids for treatment of hyperemesis gravidarum 9
Hyperoxaemia, circulatory responses to maternal hyperoxaemia and hypoxaemia assessed non-invasively in fetal sheep at 0.3-0.5 gestation in acute experiments 359
Hypertensive pregnancy
body composition and energy metabolism in normotensive and hypertensive pregnancy 1263
endometrioid tumour of ovary presenting with hyperandrogenism, secondary polycythaemia and hypertension 330
pregnant women with chronic hypertension and superimposed pre-eclampsia have high cerebral perfusion pressure 1141

*see also* Eclampsia; Pre-eclampsia
Hypoxaemia, circulatory responses to maternal hyperoxaemia and hypoxaemia assessed non-invasively in fetal sheep at 0.3-0.5 gestation in acute experiments 359
Hysterectomy
hysterectomy prevalence and adjusted cervical and uterine cancer rates in England and Wales 388
long term outcome following laparoscopic supracervical hysterectomy 1017
mass closure, new technique for closure of vaginal vault at vaginal hysterectomy 1295
nerve types damaged in radical and simple hysterectomy 548
Hysterosalpingography, comparison of cervical vacuum cup cannula with metal cannula for hysterosalpingography 1031

Incontinence
bladder neck mobility in continent nulliparous women 320
faecal
does a second delivery increase the risk of anal incontinence 684
new condition-specific health-related quality of life questionnaire for assessment of women with anal incontinence 1057
obstetric practice and faecal incontinence three months after delivery 678
guidelines in gynaecology, evaluation in menorrhagia and in urinary incontinence 129
stress
comparison of objective and subjective outcomes of colposuspension for stress incontinence in women 408
fasciitis, rare complication of Burch colposuspension 227
inadequate repeatability of the one-hour pad test, need for a new incontinence outcome measure 315
randomised comparison of Burch colposuspension versus anterior colporrhaphy in women with stress urinary incontinence and anterior vaginal wall prolapse 128
tension-free vaginal tape procedure is successful in the majority of women with indications for surgical treatment of urinary stress incontinence 414
transurethral penetration of a tension-free vaginal tape 763
Indomethacin, can a cyclo-oxygenase type-2 selective tocolytic agent avoid fetal side effects of indomethacin 325
Infection
antibiotic prophylaxis to prevent post-abortal upper genital tract infection in women with bacterial vaginosis, randomised controlled trial 396
bacterial vaginosis, public health review 439
choosing a strategy to prevent neonatal early-onset group B streptococcal sepsis, economic evaluation 840
vaginal microbiological flora, and behavioural and clinical findings in women with vulvar pain 451
*see also* Human papillomavirus
Infertility
can diagnostic laparoscopy be avoided in routine investigation for infertility 127
comparison of cervical vacuum cup cannula with metal cannula for hysterosalpingography 1031
screening for HIV, hepatitis B and C infection in a population seeking assisted reproduction in an inner London hospital 654
successful intra-cytoplasmic sperm injection treatments in identical twin brothers with severe oligozoospermia 434
Insulin, insulin-mediated vasorelaxation in pregnancy 1088
Insulin resistance, body composition and energy metabolism in normotensive and hypertensive pregnancy 1263
Insulin-like growth factor-binding protein, combination of cervical interleukin-6 and -8, phosphorylated insulin-like growth factor-binding protein-1 and transvaginal cervical ultrasonography in assessment of risk of preterm birth 875

Interleukins
combination of cervical interleukin-6 and -8, phosphorylated insulin-like growth factor-binding protein-1 and transvaginal cervical ultrasonography in assessment of risk of preterm birth 875
increased levels of interleukin-10 and transforming growth factor-β in plasma and ascitic fluid of patients with advancer ovarian cancer 804
Internet, medical education with the Internet, pilot training programme in reproductive medicine 114
Intrauterine growth retardation *see* Fetus
Isosorbide mononitrate, comparison of isosorbide mononitrate, misoprostol and combination therapy for first trimester pre-operative cervical ripening, randomised controlled trial 276

Labour and delivery
activin $\beta_A$-subunit and activin receptors in human myometrium at term and during labour 869
analgesia
epidural analgesia for labour and instrumental vaginal delivery, anaesthetic problem with obstetric solution 1
randomised controlled trial of epidural compared with non-epidural analgesia in labour 27
contribution of cervical smooth muscle activity to duration of latent and active phases of labour 533
does a second delivery increase the risk of anal incontinence 684
fever in labour and neonatal encephalopathy, prospective cohort study 594
induction
comparison of oral and vaginal misoprostol for induction of labour at term, randomised trial 23
comparison of oral and vaginal misoprostol tablets in induction of labour at term 238
induction of labour with a viable infant, randomised clinical trial comparing intravaginal misoprostol and intravaginal dinoprostone 1255
titrated oral misoprostol solution for induction of labour, multicentre, randomised trial 952
in vivo controlled release of PGE2 from vaginal insert (0.8 mm, 10 mg) during induction of labour 169
mode of delivery
can obstetric complications explain the high levels of obstetric interventions and maternity service use among older women, retrospective analysis of routinely collected data 910
decision to delivery intervals for assisted vaginal vertex delivery 131
effects of mode of delivery and infant feeding on risk of mother-to-child transmission of hepatitis C virus 371
epidural analgesia for labour and instrumental vaginal delivery, anaesthetic problem with obstetric solution 1
leptomeningocoele, rare complication of ventouse delivery 337
operative intervention in delivery is associated with compromised early mother-infant interaction 1068
posterior fossa haemorrhage in preterm infant following vacuum assisted delivery 1008
relationship between cervical dilatation at initial presentation in labour and subsequent intervention 1120
skull fracture and contralateral cerebral infarction after ventouse extraction 1298
unusual mode of delivery 436
preterm
are there common triggers of preterm deliveries 598
atosiban for primary prevention of preterm labour 886
beta-3 versus beta-2 adrenergic agonists and preterm labour, in vitro uterine relaxation effects 605
changes in vaginal flora after two percent clindamycin vaginal cream in women at high risk of spontaneous preterm birth 697
combination of cervical interleukin-6 and -8, phosphorylated

insulin-like growth factor-binding protein-1 and transvaginal cervical ultrasonography in assessment of risk of preterm birth 875
does the fetus lose weight *in utero* following fetal death, a study in preterm infants 1113
does increased risk of preterm delivery in teenagers persist in pregnancies after teenage period 721
effectiveness and safety of oxytocin antagonist atosiban versus beta-adreneric agonists in treatment of preterm labour 133
posterior fossa haemorrhage in preterm infant following vacuum assisted delivery 1008
psychosocial characteristics of women and their partners fearing vaginal childbirth 492
risk factors for third degree perineal rupture during delivery 383
second stage
accidental delivery through a vaginal incision (laparoelytrotomy) during caesarean section in the second stage of labour 659
fetal and maternal lactate increase during active second stage of labour 263
systematic review of economic aspects of alternative modes of delivery 149
third stage
double-blind placebo controlled randomised trial of misoprostol and oxytocin in management of third stage of labour 338
misoprostol third stage of labour study, randomised controlled comparison between orally administered misoprostol and standard management 338
Lactate, fetal and maternal lactate increase during active second stage of labour 263
Lactation, comparative study of effects of a progestogen-only pill containing desogestrel and an intrauterine contraceptive device in lactating women 1174
Lamellar body count, accuracy of lamellar body count and lecithin sphingomyelin ratio in prediction of neonatal respiratory distress syndrome, meta-analysis 583
Langerhans' cells, effect of stopping smoking on cervical Langerhans' cells and lymphocytes 295
Laparoscopy
can diagnostic laparoscopy be avoided in routine investigation for infertility 127
economic evaluation of single dose systemic methotrexate and laparoscopic surgery for treatment of unruptured ectopic pregnancy 204
excision of mature teratome using culdotomy, with and without laparoscopy, prospective randomised trial 91
laparoscopic approach for carcinoma of endometrium, systematic review and proposal for randomised controlled trial 552
laparoscopic mnagement of endometrial cancer in East Anglia 547
laparoscopic treatment of ectopic pregnancy resulting from intrauterine transmigration 545
long term outcome following laparoscopic supracervical hysterectomy 1017
randomised trial comparing single dose systemic methotrexate and laparoscopic surgery for treatment of unruptured tubal pregnancy 192
use of portable bladder scanner to reduce incidence of bladder catheterisation prior to laparoscopy 423
Large loop excision of transformation zone
does histological incomplete excision of cervical intraepithelial neoplasia following large loop excision of the transformation zone increase recurrence rates, six year cytological follow up 771
follow up after LLETZ, could schedules be modified according to risk of recurrence 1025
Laser ablation therapy, outcome for children born after *in utero* laser ablation therapy for severe twin-to-twin transfusion syndrome 1246
Lecithin sphingomyelin ratio, accuracy of lamellar body count and lecithin sphingomyelin ratio in prediction of neonatal respiratory distress syndrome, meta-analysis 583
Leiomyomatosis peritonealis, disseminated leiomyomatosis peritonealis in association with oestrogen secreting ovarian fibrothecoma 661
Leptin, relationship between leptin and inflammatory cytokines in women with pre-eclampsia 1272
Leptomeningocoele, rare complication of ventouse delivery 337
Levonorgestrel
effectiveness of levonorgestrel-releasing intrauterine system in menorrhagia, systematic review 74
levonorgestrel-releasing (20 mcg day) intrauterine systems (Mirena) compared with other methods of reversible contraceptives 770
Lignocaine, effect of intrauterine application of two percent lignocaine gel on pain perception during Vabra endometrial sampling, randomised double-blind, placebo-controlled trial 87
Liver
acute fatty liver of pregnancy at 23 weeks of gestation 223
pregnancy in primary biliary cirrhosis complicated by portal hypertension, report of a case and review of literature 760
pruritus may precede abnormal liver function tests in pregnant women with obstetric cholestasis, longitudinal study 1190
spontaneous hepatic rupture and maternal death following uncomplicated pregnancy and delivery 431

MAGE-1, comparison of frequency of detection of MAGE-1 expression in ovarian tumours by reverse transcription polymerase chain reaction (RTPCR) and immunohistochemistry 551
Magnetic resonance imaging
fetal lung volume measurements by magnetic resonance imaging in congenital diaphragmatic hernia 863
magnetic resonance imaging in assessment of complex Müllerian anomalies 791
ultrafast magnetic resonance imaging of central nervous system abnormalities in utero in second and third trimester of pregnancy, comparison with ultrasound 519
Magnetocardiography, prenatal diagnosis of Wolf-Parkinson-White syndrome by fetal magnetocardiography 335
Maternal
age related detection and false positive rates when screening for Down's syndrome in first trimester using fetal nuchal translucency and maternal serum free βhCG and PAPP-A 1043
association between maternal HIV-1 infection and pregnancy outcomes in Dar es Salaam, Tanzania 1125
biochemical markers of maternal bone turnover are elevated in pre-eclampsia 258
circulatory responses to maternal hyperoxaemia and hypoxaemia assessed non-invasively in fetal sheep at 0.3-0.5 gestation in acute experiments 359
computerised analysis of fetal heart rate recordings in maternal type 1 diabetes mellitus 853
effects at age nine of maternal smoking in pregnancy, experimental and observational findings 67
fetal and maternal lactate increase during active second stage of labour 263
height and external pelvimetry to predict cephalopelvic disproportion in nulliparous African women, cohort study 338
is maternal underweight really a risk factor for adverse pregnancy outcome, population-based study in London 61
maternal anaphylactic reaction to general anaesthetic at emergency caesarean section for fetal bradycardia 539
maternal carriership of factor V Leiden associated with pathological uterine artery Doppler measurements during pregnancy 1103
maternal endothelial soluble cell adhesion molecules with isolated small for gestational age fetuses, comparison with pre-eclampsia 1277
maternal height and newborn size relative to risk of intrapartum caesarean delivery and perinatal distress 689

maternal plasma glucose at high altitude 254
maternal pyridoxine non-responsive homocystinuria, role of dietary treatment and anticoagulation 425
maternal thyroid disease, risk factor for newborn encephalopathy 769
novel *in vitro* co-culture system for study of maternal decidual endothelial cell-trophoblast interactions in human pregnancy 651
obstructive sleep apnoea and fetal death, successful treatment with continuous positive airway pressure 543
rate of rise in maternal plasma corticotrophin-releasing hormone and its relation to gestational length 527
spontaneous hepatic rupture and maternal death following uncomplicated pregnancy and delivery 431
use of enoxaparin in pregnant woman with mechanical heart valve prosthesis 757
Menarche, age at menarche and age at menopause in relation to hepatocellular carcinoma in women 291
Menopause
age at menarche and age at menopause in relation to hepatocellular carcinoma in women 291
differences in hormone replacement therapy use by social class, region and psychological symptoms 269
evaluating use of transvaginal ultrasound scan as first line investigation for post-menopausal bleeding 551
exploration of cyclical changes in memory and mood in postmenopausal women taking sequential combined oestrogen and progestogen preparations 286
Menstrual cycle
chronological aspects of ultrasonic, hormonal, and other indirect indices of ovulation 822
efficacy of fluoxetine in improving physical symptoms associated with premenstrual dysphoric disorder 462
familial Mediterranean fever and menstruation 403
five-year follow up of women randomised to medical management or transcervical resection of the endometrium for heavy menstrual loss, clinical and quality of life outcomes 1222
impact of menstrual cycle on urinary symptoms and results of urodynamic investigation 1193
menorrhagia
effectiveness of levonorgestrel-releasing intrauterine system in menorrhagia, systematic review 74
guidelines in gynaecology, evaluation in menorrhagia and in urinary incontinence 129
management of menorrhagia, SMART study (Satisfaction with Mirena and Ablation, Randomised Trial) 773
menorrhagia due to Bernard-Soulier syndrome and its successful treatment by thermal balloon endometrial ablation 667
psychosocial and other characteristics of women complaining of menorrhagia, with and without actual increased menstrual blood loss 281
quantitative and qualitative assessment of women's experience of a one-stop menstrual clinic in comparison with traditional gynaecology clinics 993
randomised placebo-controlled trial to determine effect of vitamin E in treatment of primary dysmenorrhoea 1181
Methotrexate
economic evaluation of single dose systemic methotrexate and laparoscopic surgery for treatment of unruptured ectopic pregnancy 204
randomised trial comparing single dose systemic methotrexate and laparoscopic surgery for treatment of unruptured tubal pregnancy 192
Mifepristone
efficacy of mifepristone followed on the same day by misoprostol for early termination of pregnancy, report of a randomised trial 469
lowering doses of mifepristone and gemeprost for early abortion, randomised controlled trial 738
Miscarriage
blood selenium and glutathione peroxidases in miscarriage 244
factor V Leiden and G20210A prothrombin mutations are risk factors for very early recurrent miscarriage 1251
false positive serum biochemical screening and subsequent fetal loss in women less than 35 years of age 589
insertion of an intrauterine contraceptive device after induced or spontaneous abortion, review of evidence 1168
selenium status of women with history of recurrent miscarriage 1094
treatment of incomplete miscarriage with oral misoprostol 213
*see also* Abortion
Misoprostol
comparison of isosorbide mononitrate, misoprostol and combination therapy for first trimester pre-operative cervical ripening, randomised controlled trial 276
comparison of oral and vaginal misoprostol for induction of labour at term, randomised trial 23
comparison of oral and vaginal misoprostol tablets in induction of labour at term 238
double-blind placebo controlled randomised trial of misoprostol and oxytocin in management of third stage of labour 338
efficacy of mifepristone followed on the same day by misoprostol for early termination of pregnancy, report of a randomised trial 469
induction of labour with a viable infant, randomised clinical trial comparing intravaginal misoprostol and intravaginal dinoprostone 1255
intrauterine misoprostol for treatment of severe recurrent atonic secondary postpartum haemorrhage 541
misoprostol third stage of labour study, randomised controlled comparison between orally administered misoprostol and standard management 338
postpartum intrauterine pressure studies of uterotonic effect of oral misoprostol and intramuscular syntometrine 41
titrated oral misoprostol solution for induction of labour, multicentre, randomised trial 952
treatment of incomplete miscarriage with oral misoprostol 213
Mood, exploration of cyclical changes in memory and mood in postmenopausal women taking sequential combined oestrogen and progestogen preparations 286
Morbidity, urological, bowel and psychosexual morbidity of women more than seven years after treatment for stage IB IIA carcinoma of cervix 547
Mortality
fetal
does the fetus lose weight *in utero* following fetal death, a study in preterm infants 1113
obstructive sleep apnoea and fetal death, successful treatment with continuous positive airway pressure 543
risk factors predisposing to fetal loss following second trimester amniocentesis 1053
maternal, spontaneous hepatic rupture and maternal death following uncomplicated pregnancy and delivery 431
neonatal
comparability of published perinatal mortality rates in Western Europe, quantitative impact of differences in gestational age and birthweight criteria 1237
neonatal mortality rates in communities with small maternity units compared with those having larger maternity units 904
Müllerian system, magnetic resonance imaging in assessment of complex Müllerian anomalies 791
Myeloperoxidase, induced myeloperoxidase activity and related superoxide inhibition during hormone replacement therapy 473

Naegele's rule, reappraisal 775
Newborn
choosing a strategy to prevent neonatal early-onset group B streptococcal sepsis, economic evaluation 840

computerised analysis of fetal heart rate and relation to acidaemia at delivery 848
effects of mode of delivery and infant feeding on risk of mother-to-child transmission of hepatitis C virus 371
fever in labour and neonatal encephalopathy, prospective cohort study 594
maternal thyroid disease, risk factor for newborn encephalopathy 769
mode of delivery, skull fracture and contralateral cerebral infarction after ventouse extraction 1298
neonatal mortality rates in communities with small maternity units compared with those having larger maternity units 904
respiratory distress syndrome, accuracy of lamellar body count and lecithin sphingomyelin ratio in prediction of neonatal respiratory distress syndrome, meta-analysis 583
Nimesulide, can a cyclo-oxygenase type-2 selective tocolytic agent avoid fetal side effects of indomethacin 325

Obstetric practice
obstetric practice and faecal incontinence three months after delivery 678
qualitative research in obstetrics and gynaecology 233
Obstructive sleep apnoea, and fetal death, successful treatment with continuous positive airway pressure 543
Oestrogens
cellular proliferation in female lower urinary tract with reference to oestrogen status 813
exploration of cyclical changes in memory and mood in postmenopausal women taking sequential combined oestrogen and progestogen preparations 286
malignant transformation of residual endometriosis in women on unopposed oestrogen hormone replacement therapy 1106
oestrogen deficiency causes DNA damage in uterine leiomyoma cells, possible mechanism for shrinkage of fibroids by GnRH agonists 95
Ovary
cancer
angiogenesis in primary epithelial ovarian carcinomas 555
can preoperative computed tomography predict resectability of ovarian carcinoma at primary laparotomy 549
cerebral metastasis from primary epithelial ovarian cancer (EOC) 556
clinical application of dual head gamma camera with coincidence detection in 20 women with suspected ovarian cancer 1229
comparison of frequency of detection of MAGE-1 expression in ovarian tumours by reverse transcription polymerase chain reaction (RTPCR) and immunohistochemistry 551
endometrioid tumour of ovary presenting with hyperandrogenism, secondary polycythaemia and hypertension 330
expression of vascular endothelial growth factor A (VEGF-A) in metastatic epithelial ovarian cancer is of prognostic significance 549
impact of pneumoperitoneum on visceral metastasis rate and survival, results in two ovarian cancer models in rats 733
increased levels of interleukin-10 and transforming growth factor-β in plasma and ascitic fluid of patients with advancer ovarian cancer 804
Influence of peritoneal factors on port-site metastases in xenograft ovarian cancer model 809
occurrence and treatment of isolated abdominal wall recurrence in early stage ovarian cancer 550
p53 protein expression in putative precursor lesions of epithelial ovarian cancer and its relationship to mutations in p53 gene 551
population-based study of early onset ovarian cancer 549
potential impact of prophylactic oophorectomy on incidence of ovarian cancer at District General Hospital 553
requirement for expert histopathological assessment of ovarian carcinoma and borderline tumours 548
screening for familial ovarian cancer, practical approach 554
transvaginal ultrasonography as screening tool for ovarian cancer 552
chronological aspects of ultrasonic, hormonal, and other indirect indices of ovulation 822
disseminated leiomyomatosis peritonealis in association with oestrogen secreting ovarian fibrothecoma 661
ovarian dysgerminoma presenting with hypercalcaemia 1302
premature ovarian failure due to unbalanced translocation on X chromosome 230
Oxytocin
double-blind placebo controlled randomised trial of misoprostol and oxytocin in management of third stage of labour 338
oxytocics reverse tocolytic effect of glyceryl trinitrate on human uterus 164
spontaneous contractions of myometrium from humans, non-human primates and rodents are sensitive to selective oxytocin receptor antagonism *in vitro* 960
Oxytocin antagonists, effectiveness and safety of oxytocin antagonist atosiban versus beta-adrenergic agonists in treatment of preterm labour 133

p53 protein, p53 protein expression in putative precursor lesions of epithelial ovarian cancer and its relationship to mutations in p53 gene 551
Pelvis
breast and pelvic examination in women taking hormone replacement therapy 1201
conservative anterior exenteration with preservation of fertility potential and continent urinary diversion 117
maternal height and external pelvimetry to predict cephalopelvic disproportion in nulliparous African women, cohort study 338
resection of recurrent bulky gynaecological side wall malignancy with iliac vessel reconstruction 1305
Perinatal, maternal height and newborn size relative to risk of intrapartum caesarean delivery and perinatal distress 689
Perineum
risk factors for third degree perineal rupture during delivery 383
women's views on the practice of prenatal perineal massage 499
Pessaries, non-surgical treatment of uterovaginal prolapse using double vaginal rings 112
Placenta
birthweight in liveborn twins, influence of umbilical cord insertion and fusion of placentas 943
fetal cardiac isovolumetric contraction time in normal pregnancy and in pregnancy with placental vascular disease, first clinical report using new ultrasound technique 179
Pneumoperitoneum, impact of pneumoperitoneum on visceral metastasis rate and survival, results in two ovarian cancer models in rats 733
Polycythaemia, endometrioid tumour of ovary presenting with hyperandrogenism, secondary polycythaemia and hypertension 330
Population studies
association between maternal HIV-1 infection and pregnancy outcomes in Dar es Salaam, Tanzania 1125
comparability of published perinatal mortality rates in Western Europe, quantitative impact of differences in gestational age and birthweight criteria 1237
declining trend in major gynaecological surgery in The Netherlands during 1991-1998, is there an impact on surgical skills and innovative ability 743
differences in hormone replacement therapy use by social class, region and psychological symptoms 269
estimation of expected caesarean section rate taking into account

case mix of a maternity hospital, analysis from AUDIPOG Sentinelle Network 919
evaluation of quality of care for severe obstetrical haemorrhage in three French regions 898
female genital mutilation, analysis of first twelve months of south-east London specialist clinic 186
fertility following radical, conservative-surgical or medical treatment for tubal pregnancy, a population-based study 130
fever in labour and neonatal encephalopathy, prospective cohort study 594
five-year follow up of women randomised to medical management or transcervical resection of the endometrium for heavy menstrual loss, clinical and quality of life outcomes 1222
hepatitis C virus among high and low risk pregnant women in Dundee, unlinked anonymous testing 365
hysterectomy prevalence and adjusted cervical and uterine cancer rates in England and Wales 388
impact of induced abortions on subsequent pregnancy outcome, 1995 French national perinatal survey 1036
intrauterine growth retardation, perinatal outcome in SGA births defined by customised versus population-based birthweight standards 830
Ipswich childbirth study, one year follow up of alternative methods used in perineal repair 34
is maternal underweight really a risk factor for adverse pregnancy outcome, population-based study in London 61
modelling potential impact of population-wide periconceptional folate/multivitamin supplementation on multiple births 937
neonatal, neonatal mortality rates in communities with small maternity units compared with those having larger maternity units 904
population-based study of early onset ovarian cancer 549
prevalence of human papillomavirus infection and cervical neoplasia in rural Gambia, West Africa 553
screening for HIV, hepatitis B and C infection in a population seeking assisted reproduction in an inner London hospital 654
trends in risk factors for caesarean sections in France between 1981 and 1995, lessons for reducing rates in future 48
venous thromboembolism in pregnancy and puerperium, incidence and additional risk factors from London perinatal database 56
*see also* Clinical trials
Postcoital bleeding
frequency of significant pathology in women attending a general gynaecological service for postcoital bleeding 103
how sinister is post-coital bleeding 552
Postpartum *see* Puerperium
Posture, cardiovascular function in pregnancy, effects of posture 344
Pre-eclampsia
assessment of cerebral hemodynamics during roll over test in healthy pregnant women and those with pre-eclampsia 353
association of cerebral perfusion pressure with headache in women with pre-eclampsia 126
biochemical markers of maternal bone turnover are elevated in pre-eclampsia 258
dyslipidaemia in early second trimester is mainly a feature of women with early onset pre-eclampsia 1081
impaired vascular function in women with pre-eclampsia observed with orthogonal polarisation spectral imaging 1148
inadequate reducing systems in pre-eclampsia, complementary role for vitamins C and E with thioredoxin-related activities 339
leucocyte intracellular pH and Na+/H+ exchanger isoform-1 activity in postpartum women with pre-eclampsia 615
maternal endothelial soluble cell adhesion molecules with isolated small for gestational age fetuses, comparison with pre-eclampsia 1277
microvascular vasodilator response to acetylcholine is in creased in women with pre-eclampsia 610
novel *in vitro* co-culture system for study of maternal decidual endothelial cell-trophoblast interactions in human pregnancy 651
plasma P-selectin is elevated in first trimester in women who subsequently develop pre-eclampsia 709
pregnant women with chronic hypertension and superimposed pre-eclampsia have high cerebral perfusion pressure 1141
relationship between leptin and inflammatory cytokines in women with pre-eclampsia 1272
seasonal variation in the occurrence of pre-eclampsia 1119
Pregnancy
anatomical and functional changes in lower urinary tract during pregnancy 726
assessment of cerebral hemodynamics during roll over test in healthy pregnant women and those with pre-eclampsia 353
blood gases in pregnancy at sea level and at high altitude 980
cardiovascular function in pregnancy, effects of posture 344
complications
acute fatty liver of pregnancy at 23 weeks of gestation 223
can obstetric complications explain the high levels of obstetric interventions and maternity service use among older women, retrospective analysis of routinely collected data 910
conservative vaginal surgery for cervical pregnancy 888
fetal bone metabolism in normal and rhesus isoimmunised pregnancies 986
maternal pyridoxine non-responsive homocystinuria, role of dietary treatment and anticoagulation 425
Meckel's diverticulum, uncommon complication during pregnancy 1199
predictive value of serum 1,5-anhydro-D-glucitol in pregnancies at increased risk of gestational diabetes mellitus and gestational impaired glucose tolerance 754
pregnancy in primary biliary cirrhosis complicated by portal hypertension, report of a case and review of literature 760
pregnant women with chronic hypertension and superimposed pre-eclampsia have high cerebral perfusion pressure 1141
prenatal hypoxic ischaemic-encephalopathy leading to microcephaly in sickle cell pregnancy with recovery from 'terminal CTG' 219
prevalence and features of pancreatic islet cell autoimmunity in wmen with gestational diabetes from different ethnic groups 716
pruritus may precede abnormal liver function tests in pregnant women with obstetric cholestasis, longitudinal study 1190
successful use of heparinoids in a pregnancy complicated by allergy to heparin 1011
thromboembolism in pregnant women with mechanical prosthetic heart valves anticoagulated with low molecular weight heparin 327
venous thromboembolism in pregnancy and puerperium, incidence and additional risk factors from London perinatal database 56
ectopic *see* Ectopic pregnancy
effects at age nine of maternal smoking in pregnancy, experimental and observational findings 67
expectant management of early pregnancies of unknown location, prospective evaluation of methods to predict spontaneous resolution of pregnancy 158
first trimester
age related detection and false positive rates when screening for Down's syndrome in first trimester using fetal nuchal translucency and maternal serum free βhCG and PAPP-A 1043
comparison of isosorbide mononitrate, misoprostol and combination therapy for first trimester pre-operative cervical ripening, randomised controlled trial 276
plasma P-selectin is elevated in first trimester in women who subsequently develop pre-eclampsia 709
gestational length, rate of rise in maternal plasma corticotrophin-releasing hormone and its relation to gestational length 527

insulin-mediated vasorelaxation in pregnancy 1088
novel *in vitro* co-culture system for study of maternal decidual endothelial cell-trophoblast interactions in human pregnancy 651
outcome
association between maternal HIV-1 infection and pregnancy outcomes in Dar es Salaam, Tanzania 1125
impact of induced abortions on subsequent pregnancy outcome, 1995 French national perinatal survey 1036
is maternal underweight really a risk factor for adverse pregnancy outcome, population-based study in London 61
pregnancy and erythrocyte sedimentation rate 1164
second trimester
dyslipidaemia in early second trimester is mainly a feature of women with early onset pre-eclampsia 1081
risk factors predisposing to fetal loss following second trimester amniocentesis 1053
successful cerclage at advanced cervical dilatation in second trimester 1005
ultrafast magnetic resonance imaging of central nervous system abnormalities in utero in second and third trimester of pregnancy, comparison with ultrasound 519
use of nuchal translucency measurement and second trimester biochemical markers in screening for Down's syndrome 1047
third trimester, ultrafast magnetic resonance imaging of central nervous system abnormalities in utero in second and third trimester of pregnancy, comparison with ultrasound 519
triplet *see* Triplet pregnancy
twin *see* Twin pregnancy
use of intrapartum defibulation in women with female genital mutilation 949
*see also* Fetus; Labour and delivery
Pregnancy associated plasma protein-A, age related detection and false positive rates when screening for Down's syndrome in first trimester using fetal nuchal translucency and maternal serum free βhCG and PAPP-A 1043
Prenatal diagnosis
prenatal diagnosis and follow up of biliary atresia 1108
prenatal diagnosis of Wolf-Parkinson-White syndrome by fetal magnetocardiography 335
role of comparative genomic hybridisation in prenatal diagnosis 642
wide scope prenatal diagnosis at Kuopio University Hospital 1997-1998, integration of gene tests and fetal karyotyping 505
Progestogens
comparative study of effects of a progestogen-only pill containing desogestrel and an intrauterine contraceptive device in lactating women 1174
long-acting progestogen-only contraceptive injections, update 3
overview of relationship between progestogen-only contraceptives and bone mineral density 1214
Prolapse, sacrospinous ligament fixation for massive genital prolapse in women aged over 80 years 817
Prostaglandins, in vivo controlled release of PGE2 from vaginal insert (0.8 mm, 10 mg) during induction of labour 169
Protestogens, exploration of cyclical changes in memory and mood in postmenopausal women taking sequential combined oestrogen and progestogen preparations 286
Psychosocial factors, menorrhagia, psychosocial and other characteristics of women complaining of menorrhagia, with and without actual increased menstrual blood loss 281
Puerperium
comparability of published perinatal mortality rates in Western Europe, quantitative impact of differences in gestational age and birthweight criteria 1237
Ipswich childbirth study, one year follow up of alternative methods used in perineal repair 34
leucocyte intracellular pH and Na+/H+ exchanger isoform-1 activity in postpartum women with pre-eclampsia 615
obstetric practice and faecal incontinence three months after delivery 678
operative intervention in delivery is associated with compromised early mother-infant interaction 1068
postpartum depression, identification of women at risk 774
postpartum haemorrhage
intrauterine misoprostol for treatment of severe recurrent atonic secondary postpartum haemorrhage 541
management of massive postpartum haemorrhage, use of hydrostatic balloon catheter to avoid laparotomy 420
secondary postpartum haemorrhage, incidence, morbidity and current management 927
postpartum intrauterine pressure studies of uterotonic effect of oral misoprostol and intramuscular syntometrine 41
puerperal sepsis, disease of the past 127
venous thromboembolism in pregnancy and puerperium, incidence and additional risk factors from London perinatal database 56

Rectum, vault prolapse and rectocele, assessment of repair using sacrocolpopexy with mesh interposition 775
Respiratory distress syndrome, accuracy of lamellar body count and lecithin/sphingomyelin ratio in prediction of neonatal respiratory distress syndrome, meta-analysis 583
Rhesus D
fetal bone metabolism in normal and rhesus isoimmunised pregnancies 986
prenatal management of women who have partial Rh (D) antigen 985

Sacrocolpopexy, vault prolapse and rectocele, assessment of repair using sacrocolpopexy with mesh interposition 775
Sacrohysteropexy, with synthetic mesh for management of uterovaginal prolapse 629
Screening *see* Antenatal screening
P-Selectin, plasma P-selectin is elevated in first trimester in women who subsequently develop pre-eclampsia 709
Selenium
blood selenium and glutathione peroxidases in miscarriage 244
selenium status of women with history of recurrent miscarriage 1094
Sexual arousal disorder, premenopausal women affected by sexual arousal disorder treated with sildenafil, double-blind, cross-over, placebo-controlled study 623
Sheep, circulatory responses to maternal hyperoxaemia and hypoxaemia assessed non-invasively in fetal sheep at 0.3-0.5 gestation in acute experiments 359
Sickle cell disease, prenatal hypoxic ischaemic-encephalopathy leading to microcephaly in sickle cell pregnancy with recovery from 'terminal CTG' 219
Sildenafil, premenopausal women affected by sexual arousal disorder treated with sildenafil, double-blind, cross-over, placebo-controlled study 623
Smoking
effect of stopping smoking on cervical Langerhans' cells and lymphocytes 295
effects at age nine of maternal smoking in pregnancy, experimental and observational findings 67
Sterilisation, spontaneous opening of Filshie clip as cause of sterilisation failure 657
Stress incontinence *see* Incontinence
Superoxide, induced myeloperoxidase activity and related superoxide inhibition during hormone replacement therapy 473
Surgery
declining trend in major gynaecological surgery in The Netherlands during 1991-1998, is there an impact on surgical skills and innovative ability 743
influence of training on reliability of surgical knots 1013

interstitial laser, new surgical technique for twin reversed arterial perfusion sequency in early pregnancy 1098
Syncytiotrophoblast microvillous membranes, myometrium, endothelial function in myometrial resistance arteries of normal pregnant women perfused with syncytiotrophoblast microvillous membranes 967
Syntometrine, postpartum intrauterine pressure studies of uterotonic effect of oral misoprostol and intramuscular syntometrine 41

Teenage pregnancy, does increased risk of preterm delivery in teenagers persist in pregnancies after teenage period 721
Tension-free vaginal tape
tension-free vaginal tape procedure is successful in the majority of women with indications for surgical treatment of urinary stress incontinence 414
transurethral penetration of a tension-free vaginal tape 763
Teratoma, excision of mature teratome using culdotomy, with and without laparoscopy, prospective randomised trial 91
Thermotherapy, endometrial laser intrauterine thermotherapy for treatment of dysfunctional uterine bleeding, first British experience 749
Thioredoxin, inadequate reducing systems in pre-eclampsia, complementary role for vitamins C and E with thioredoxin-related activities 339
Thromboembolism
randomised double-blind placebo controlled trial of low molecular weight heparin as prophylaxis in preventing venous thrombotic events after caesarean section, pilot study 835
thromboembolism in pregnant women with mechanical prosthetic heart valves anticoagulated with low molecular weight heparin 327
venous thromboembolism during pregnancy, retrospective study of enoxaparin safety in 624 pregnancies 1134
venous thromboembolism in pregnancy and puerperium, incidence and additional risk factors from London perinatal database 56
Thyroid disease, maternal thyroid disease, risk factor for newborn encephalopathy in term infants 769
Thyroid stimulating hormone, levels of cord blood thyroid stimulating hormone after external cephalic version 1076
Tocolytics
can a cyclo-oxygenase type-2 selective tocolytic agent avoid fetal side effects of indomethacin 325
oxytocics reverse tocolytic effect of glyceryl trinitrate on human uterus 164
Trachelectomy, radical trachelectomy in early stage carcinoma of cervix, outcome as judged by recurrence and fertility rates 885
Training
effects of gynaecological education on interpersonal communication skills 485
influence of training on reliability of surgical knots 1013
medical education with the Internet, pilot training programme in reproductive medicine 114
Transforming growth factor-β, increased levels of interleukin-10 and transforming growth factor-β in plasma and ascitic fluid of patients with advancer ovarian cancer 804
Triplet pregnancy, successful delivery of monoamniotic triplets 892
Trophoblast, novel *in vitro* co-culture system for study of maternal decidual endothelial cell-trophoblast interactions in human pregnancy 651
Twin pregnancy
birthweight in liveborn twins, influence of umbilical cord insertion and fusion of placentas 943
interstitial laser, new surgical technique for twin reversed arterial perfusion sequence in early pregnancy 1098
management of monoamniotic twin pregnancies, case series and systematic review of the literature 931
modelling potential impact of population-wide periconceptional folate/multivitamin supplementation on multiple births 937
monopolar thermocoagulation in acardiac twinning 1000
outcome for children born after *in utero* laser ablation therapy for severe twin-to-twin transfusion syndrome 1246

Ultrasound
chronological aspects of ultrasonic, hormonal, and other indirect indices of ovulation 822
Doppler
abnormal Doppler velocimetry and blood flow volume in middle cerebral artery in very severe intrauterine growth restriction, is occurrence of reversal of compensatory flow too late 973
maternal carriership of factor V Leiden associated with pathological uterine artery Doppler measurements during pregnancy 1103
screening with uterine Doppler in low risk pregnant women followed by low dose aspirin in women with abnormal results, multicentre randomised controlled trial 510
fetal cardiac isovolumetric contraction time in normal pregnancy and in pregnancy with placental vascular disease, first clinical report using new ultrasound technique 179
reliability and validity of three dimensional ultrasound volumetric measurements using an *in vitro* balloon and *in vivo* uterine model 573
transvaginal
combination of cervical interleukin-6 and -8, phosphorylated insulin-like growth factor-binding protein-1 and transvaginal cervical ultrasonography in assessment of risk of preterm birth 875
evaluating use of transvaginal ultrasound scan as first line investigation for post-menopausal bleeding 551
transvaginal ultrasonography as screening tool for ovarian cancer 552
ultrafast magnetic resonance imaging of central nervous system abnormalities in utero in second and third trimester of pregnancy, comparison with ultrasound 519
Umbilical cord
birthweight in liveborn twins, influence of umbilical cord insertion and fusion of placentas 943
development of high venous velocity at fetal umbilical ring during gestational weeks 11-19 248
levels of cord blood thyroid stimulating hormone after external cephalic version 1076
oxidative stress in fetal lamb brain following intermittent umbilical cord occlusion, path analysis 1283
Umbilical vein, development of high venous velocity at fetal umbilical ring during gestational weeks 11-19 248
Urinary tract
ambulatory urodynamics, evaluating ambulatory urodynamics, prospective study in asymptomatic women 107
anatomical and functional changes in lower urinary tract during pregnancy 726
cellular proliferation in female lower urinary tract with reference to oestrogen status 813
impact of menstrual cycle on urinary symptoms and results of urodynamic investigation 1193
ureteric obstruction with mucocoele of appendix due to endometriosis 124
*see also* Bladder; Incontinence
Uterus
activin $\beta_A$-subunit and activin receptors in human myometrium at term and during labour 869
cancer, hysterectomy prevalence and adjusted cervical and uterine cancer rates in England and Wales 388
Doppler, maternal carriership of factor V Leiden associated with pathological uterine artery Doppler measurements during pregnancy 1103

dysfunctional uterine bleeding, endometrial laser intrauterine thermotherapy for treatment of dysfunctional uterine bleeding, first British experience 749
fibroids
embolisation, technique not without significant complications 132, 337
oestrogen deficiency causes DNA damage in uterine leiomyoma cells, possible mechanism for shrinkage of fibroids by GnRH agonists 95
human chorionic gonadotrophin inhibition of pregnant human myometrial contractility 704
myometrium
endothelial function in myometrial resistance arteries of normal pregnant women perfused with syncytiotrophoblast microvillous membranes 967
spontaneous contractions of myometrium from humans, non-human primates and rodents are sensitive to selective oxytocin receptor antagonism *in vitro* 960
oxytocics reverse tocolytic effect of glyceryl trinitrate on human uterus 164
postpartum intrauterine pressure studies of uterotonic effect of oral misoprostol and intramuscular syntometrine 41
prolapse, non-surgical treatment of uterovaginal prolapse using double vaginal rings 112
sacrohysteropexy with synthetic mesh for management of uterovaginal prolapse 629

Vagina
a case of vaginal argyrosis, all that glistens isn't gold 890
changes in vaginal flora after two percent clindamycin vaginal cream in women at high risk of spontaneous preterm birth 697
factors associated with nucleic acids related to human immunodeficiency virus type 1 in cervico-vaginal secretions 634
mass closure, new technique for closure of vaginal vault at vaginal hysterectomy 1295
randomised comparison of Burch colposuspension versus anterior colporrhaphy in women with stress urinary incontinence and anterior vaginal wall prolapse 128
sacrohysteropexy with synthetic mesh for management of uterovaginal prolapse 629
vaginal microbiological flora, and behavioural and clinical findings in women with vulvar pain 451
vaginal vault, vault prolapse and rectocele, assessment of repair using sacrocolpopexy with mesh interposition 775
Vaginosis
antibiotic prophylaxis to prevent post-abortal upper genital tract infection in women with bacterial vaginosis, randomised controlled trial 396
bacterial vaginosis, public health review 439
Vascular endothelial growth factor, expression of vascular endothelial growth factor A (VEGF-A) in metastatic epithelial ovarian cancer is of prognostic significance 549
Vesico-uterine fistula, herniation of amniotic sac into bladder through vesico-uterine fistula in 32nd week of pregnancy 1300
Vitamin C, inadequate reducing systems in pre-eclampsia, complementary role for vitamins C and E with thioredoxin-related activities 339
Vitamin E
inadequate reducing systems in pre-eclampsia, complementary role for vitamins C and E with thioredoxin-related activities 339
randomised placebo-controlled trial to determine effect of vitamin E in treatment of primary dysmenorrhoea 1181
Vitamins, modelling potential impact of population-wide periconceptional folate/multivitamin supplementation on multiple births 937
Vulva
cancer
does being blood group O protect you from vulva disease 557
factors influencing outcome in vulval intraepithelial neoplasia 556
sentinel lymph node detection in locally recurrent carcinoma of vulva 766
vulval lichen planus, progression of pseudoepitheliomatous hyperplasia to invasive vulval carcinomas 665
pyoderma gangrenosum of vulva 1197
vaginal microbiological flora, and behavioural and clinical findings in women with vulvar pain 451
venous malformation of vulva 669
vulval lichen planus, progression of pseudoepitheliomatous hyperplasia to invasive vulval carcinomas 665
vulvar vestibulitis, multi-factorial condition 456

Wolf-Parkinson-White syndrome, prenatal diagnosis of Wolf-Parkinson-White syndrome by fetal magnetocardiography 335